

H.B. FULLER COMPANY -- SOLVENT BASED ADHESIVE SC-1185 -- 8040-00-058-2399

===== Product Identification =====

Product ID:SOLVENT BASED ADHESIVE SC-1185

MSDS Date:12/24/1988

FSC:8040

NIIN:00-058-2399

MSDS Number: BHCWP

=== Responsible Party ===

Company Name:H.B. FULLER COMPANY

Address:1200 WALTERS BOULEVARD

City:VADNALS HEIGHTS

State:MN

ZIP:55110

Country:US

Emergency Phone Num:612-481-3300

Preparer's Name:INDUSTRIAL HYGIENE

CAGE:9R359

=== Contractor Identificati

on ===

Company Name:H.B. FULLER COMPANY-FOSTER PRODUCTS DIVISION

CAGE:9R359

===== Composition/Information on Ingredients =====

Ingred Name:ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: >10%

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: >10%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ing

red Name:HEXANE (N-HEXANE)  
CAS:110-54-3  
RTECS #:MN9275000  
Fraction by Wt: 1-10%  
OSHA PEL:500 PPM  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:N-HEPTANE  
CAS:142-82-5  
RTECS #:MI7700000  
Fraction by Wt: >10%  
OSHA PEL:500 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:VOC. ORGANIC CMPD 650 VOC/LITER OF MATERIAL 651 VOC/LITER  
OF MATERIAL LESS WATER & EXEMPT SOLVENTS  
RTECS #:9999999VO

===== Hazards Identification =====

Routes  
of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:LONG TERM OVEREXPOSURE TO SOLVENTS MAY  
CAUSE LIVER AND KIDNEY DAMAGE.  
Effects of Overexposure:EYE: CAN CAUSE MODERATE IRRITATION.  
SKIN: MAY CAUSE IRRITATION AND  
DERMATITIS INHAL: CAN CAUSE  
IRRITATON TO NOSE,THROA T,RESPIRATORY TRACT & MAY CAUSE  
NAUSEA,DIZZINESS, HEADACHES, OR UNCONSCIOUSNESS  
Medical Cond Aggravated by Expo  
sure:NONE

===== First Aid Measures =====

First Aid:EYE: FLUSH IMMEDIATELY W/LARG AMOUNTS OF WATER FOR 15 MINS.  
CALL A PHYSICIAN. SKIN: WASH AFFECTED AREA W/SOAP & WATER.  
INHAL: REMOVE FROM EXPOSURE.  
RESTORE BRE ATHING IF NECESSARY. KEEP WARM & QUIET.CALL A  
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:133F  
pH:NA  
Viscosity:900 CPS  
Solubility in Water:NON MISCIB

LE

Percent Volatiles by Volume:19

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:INCOMPLETE COMBUSTION CAN YIELD LOW  
MOLECULAR WEIGHT HYDRO- CARBONS, CARBON MONOXIDE, HYDROGEN  
CHLORIDE, PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT YOUR STATE AND LOCAL AUTHORITIES FOR  
PROPER DISPOSAL.

Disclaimer (provided with this i  
nformation by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.