

H.B. FULLER COMPANY -- SOLVENT BASED ADHESIVE SC-1185 -- 8040-00-058-2399

=====
Product Identification
=====

Product ID:SOLVENT BASED ADHESIVE SC-1185

MSDS Date:12/24/1988

FSC:8040

NIIN:00-058-2399

MSDS Number: BHCWP

=== Responsible Party ===

Company Name:H.B. FULLER COMPANY

Address:1200 WALTERS BOULEVARD

City:VADNALS HEIGHTS

State:MN

ZIP:55110

Country:US

Emergency Phone Num:612-481-3300

Preparer'

s Name:INDUSTRIAL HYGIENE

CAGE:9R359

=== Contractor Identification ===

Company Name:H.B. FULLER COMPANY-FOSTER PRODUCTS DIVISION

CAGE:9R359

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: >10%

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: >10%

OSHA PEL:200 PPM/150 STEL

ACGIH

TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 1-10%
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:N-HEPTANE
CAS:142-82-5
RTECS #:MI7700000
Fraction by Wt: >10%
OSHA PEL:500 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:VOC. ORGANIC CMPD 650 VOC/LITER OF MATERIAL 651 VOC/LITER
OF MATERIAL LESS WATER & EXEMPT SOLVENTS
RTECS #:9999999VO

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:LONG TERM OVEREXPOSURE TO SOLVENTS MAY
CAUSE LIVER AND KIDNEY DAMAGE.
Effects of Overexposure:EYE: CAN CAUSE MODERATE IRRITATION.
SKIN: MAY CAUSE IRRITATION AND
DERMATITIS INHAL: CAN CAUSE
IRRITATION TO NOSE,THROAT,RESPIRATORY TRACT & MAY CAUSE
NAUSEA,DIZZINESS,
S, HEADACHES, OR UNCONSCIOUSNESS
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:EYE: FLUSH IMMEDIATELY W/LARG AMOUNTS OF WATER FOR 15 MINS.
CALL A PHYSICIAN. SKIN: WASH AFFECTED AREA W/SOAP & WATER.
INHAL: REMOVE FROM EXPOSURE.
RESTORE BREATHING IF NECESSARY. KEEP WARM & QUIET.CALL A
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash P

oint:133F

pH:NA

Viscosity:900 CPS

Solubility in Water:NON MISCIBLE

Percent Volatiles by Volume:19

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:INCOMPLETE COMBUSTION CAN YIELD LOW MOLECULAR WEIGHT HYDRO- CARBONS, CARBON MONOXIDE, HYDROGEN CHLORIDE, PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT YOUR STATE AND LOCAL AUTHORITIES FOR PROPER DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.