

HY-KLAS PAINTS, INC. -- LATEX SEMI-GLOSS ID 18XX -- 8010-00-495-0095

=====
Product Identification
=====

Product ID:LATEX SEMI-GLOSS ID 18XX

MSDS Date:06/27/1989

FSC:8010

NIIN:00-495-0095

MSDS Number: BHDMB

=== Responsible Party ===

Company Name:HY-KLAS PAINTS, INC.

Box:3607

City:LOUISVILLE

State:KY

ZIP:40201-3067

Country:US

Info Phone Num:502-634-9406

Emergency Phone Num:502-634-9406/POIS.CTRL 502

-589-8222

CAGE:KO343

=== Contractor Identification ===

Company Name:HY-KLAS PAINTS INC

Box:3607

City:LOUISVILLE

State:KY

ZIP:40201-3607

Country:US

Phone:502-634-9406

CAGE:0HN95

Company Name:HY-KLAS PAINTS, INC

Box:10205

City:LOUISVILLE

State:KY

ZIP:40210

Phone:(502) 634-9406

CAGE:KO343

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Routes of Ent

ry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:VAPOR OR MIST CAN CAUSE HEADACHE, NAUSEA AND
IRRITATION OF THE NOSE, THROAT, AND LUNGS. SKIN: IRRITATING TO SKIN
UPON PROLONGED/REPEATED CONTACT. EYE: SLIGHTLY IRRITATING TO EYES

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYE AND SKIN CONTACT: FLUSH
WITH WATER. INGESTION: DRINK 1 OR 2 GLASSES OF WATER TO
DILUTE. DO NOT INDUCE VOMITING. CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Fire Fighting Procedures:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO
EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DIKE AND CONTAIN SPILL WITH INERT MATERIAL.
TRANSFER LIQUID TO CONTAINERS FOR RECOVERY OR DISPOSAL AND
SOLID DIKING MATERIALS TO SEPARATE CONTAINERS FOR DISPOSAL.
INERT MATERIALS: SAND, EARTH, ETC.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM FREEZING
Other Precautions:DO NOT TAKE INTERNALLY

=====
===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL LOCAL EXHAUST
Protective Gloves:IMPERVIOUS
Eye Protection:SPLASH GOGGLES
Work Hygienic Practices:WASH HANDS BEFORE EATING
Supplemental Safety and Health
NK

=====
===== Physical/Chemical =====

Properties =====

Boiling Pt:B.P. Text:212F
Vapor Density:> AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:72-74

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO STATE, FEDERAL, AND LOCAL
REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.