

JET-LUBE, INC. -- ANTI-SEIZE COMPOUND -- 8030-00-597-5367

===== Product Identification =====

Product ID:ANTI-SEIZE COMPOUND

MSDS Date:12/17/1986

FSC:8030

NIIN:00-597-5367

MSDS Number: BHDPH

=== Responsible Party ===

Company Name:JET-LUBE, INC.

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77228-1258

Country:US

Info Phone Num:713-674-7617

Emergency Phone Num:713-674-7617

Preparer's Name:V.T. WILCOX

CAGE:KO337

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

Phone:713-674-7617

CAGE:07431

Company Name:JET-LUBE, INC.

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Phone:(713) 674-7617

CAGE:KO337

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

Fraction by Wt: 25% M

OSHA PEL:TWA-5MG/M3, OIL MIST

ACGIH TLV:NA

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525

000  
Fraction by Wt: 70% M  
OSHA PEL:0.05 MG/M3;1910.1025  
ACGIH TLV:0.15 MG/M3;DUST 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:REDNESS AND IRRITATION OF SKIN.  
Effects of Overexposure:REPEATED SKIN CONTACT FOR PERSONS  
HYPERSENSITIVE TO PETROLEUM PRODUCTS CAN CAUSEREDNESS AND  
IRRITATIO  
N OF SKIN. LEAD: ABDOMINAL PAIN, METALLIC TASTE IN MOUTH,  
LOSS OF WEIGHT, PAIN IN MUSCLES AND MUSC ULAR WEAKNESS.

===== First Aid Measures =====

First Aid:EYE: WASH WITH COPIOUS QUANTITIES OF WATER  
SKIN: REMOVE BY WIPING, OR WATERLESS HAND  
CLEANER, FOLLOWED BY WASHING INHAL: CLEAR AIR PASSAGE,  
CALL PHYSICIAN INGST: DO NOT INDUCE VOMITING, CALL PHYSICIAN

===== Fire Fighting Measures =====

F  
lash Point Method:COC  
Flash Point:116F/241C  
Autoignition Temp:Autoignition Temp Text:>260C  
Extinguishing Media:FOAM, DRY ;CHEMICAL, WATER SPRAY (FOG), CARBON  
DIOXIDE OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS  
Fire Fighting Procedures:USE SUPPLIED AIR BREATHING EQUIPMENT FOR  
ENCLOSED OR CONFINED SPACES  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS, WIPE UP W/RAGS, PICK UP  
RESIDUE

WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL PRECAUTIONS AS WITH ANY  
PETROLEUM PRODUCT  
Other Precautions:NR

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NR  
Ventilation:NR  
Protective Gloves:NR  
Eye Protection:NR  
Other Protective Equipment:PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE  
GLOVES  
Work Hygienic Practices:WASH HANDS BEFORE  
EATING  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:329C  
Melt/Freeze Pt:M.P/F.P Text:NA  
Vapor Pres:5  
Spec Gravity:2.40  
Evaporation Rate & Reference: