View NSN Online: https://aerobasegroup.es/nsn/8030-01-290-5139

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1826 CLASS B, CLASS C, PART A -- 8030-01-290-5139

============= Product Identification ==================

Product ID:PR-1826 CLASS B, CLASS C, PART A

MSDS Date:07/14/1988

FSC:8030

NIIN:01-290-5139

Kit Part:Y

MSDS Number: BHFJS === Responsible Party ===

Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP: 91209

Country:US

Emergency Phone Num:818-240-2060

Preparer's Name:DJ

CAGE:8K647

=== Contractor Identification ===

Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:800-228-5635

CAGE:8K647

======= Composition/Information on Ingredients ========

Ingred Name: EPOXY NOVOLAC RESIN

CAS:28064-14-4 Fraction by Wt: 30% OSHA PEL:NE ACGIH TLV:NE

Ingred Name: EPOXY RESIN

CAS:15336-82-0 Fraction by Wt: 3

0% **OSHA PEL:NE ACGIH TLV:NE** Ingred Name:TRIMETHOXY, 1-2-PROPOXY-SILANE CAS:2530-83-8 RTECS #: VV4025000 Fraction by Wt: 5% **OSHA PEL:NE ACGIH TLV:NE** Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure: EYES: IRRITATION. MAY CAUSE EYE DAMAGE. SKIN: LOCAL IRRITATION. MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS, INHALATION: RESPIRA TORY IRRITATION, AND INGESTION: MAY CAUSE NAUSEA, VOMITING, & IN LARGE DOSES, LIVER & KIDNEY DAMAGE First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MIN., CONSULT PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. AND INGESTION: GIVE MILKOR WATER TO DRINK, CONSULT A PHYSICIAN. ==== Fire Fighting Measures =========== Flash Point:NA Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG Fire Fighting Procedures: USE COMPLETE PERSONAL PROTECTION Unusual Fire/Explosion Hazard: NONE KNOWN ========= Accidental Release Measures ==============

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1TRICHLOROETHANE.

===== Exposure Controls/Personal Protection ========

Ventilation:GENERAL VENTILATION

Protective

Supplemental Safety and Health NK
======== Physical/Chemical Properties =========
Boiling Pt:B.P. Text:NA Spec Gravity:1.45 Evaporation Rate & amp; Reference:NA Solubility in Water:SLIGHT
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AMINES Hazardous Decomposition Products:OXIDES OF CARBON
========= Disposal Con siderations ==============

Gloves: SOLVENT RESISTANT GLOVES

Eye Protection: CHEMICAL GOGGLES OR FULL-FACE SHIELD

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONSCONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any perso n utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.