

HERNON MANUFACTURING INC. -- ANAEROBIC ADHESIVE 237 -- 8030-00-905-6818

===== Product Identification =====

Product ID:ANAEROBIC ADHESIVE 237

MSDS Date:10/01/1989

FSC:8030

NIIN:00-905-6818

MSDS Number: BHFTB

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

CAGE:DO346

=== Contractor Identification ===

Company Name:HERN

ON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

===== Composition/Information on Ingredients =====

Ingred Name:TERTIARY ALIPHATIC AMINE

Fraction by Wt: < 1%

OSHA PEL:NOT LISTED

ACGIH TLV:NOT LISTED

Ingred Name:ORGANIC HYDROPEROXIDE

Fraction by Wt: 2%

=====

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE.
Explanation of Carcinogenicity:NOT LISTED.
Effects of Overexposure:MAY CAUSE SKIN IRRITATION IN SENSITIVE PERSONS.
Medical Cond Aggravated by Exposure:MAY CAUSE SKIN IRRITATION IN
SENSITIVE PERSONS.

===== First Aid Measures =====

First Aid:EYE CONTACT:
IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER
AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:> 200 F/ > 93 C
Lower Limits:DNA
Upper Limits:DNA
Extinguishing Media:FOAM, DRY CHEMICAL, CO2.
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS.
Unusual Fire/Explosion Hazard:NONE.

=====

=== Accidental Release Measures =====

Spill Release Procedures:FLUSH SPILL AWAY WITH WATER SPRAY. SMALL
SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED SKIN CONTACT.
Other Precautions:STORE BELOW 100 F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NECESSARY.
Ventilation:MECHANICAL (GENERAL) REQUIRED
Prote

ctive Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES IS RECOMMENDED
Other Protective Equipment:NONE
Work Hygienic Practices:AS REQUIRED
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:> 300 F
Melt/Freeze Pt:M.P/F.P Text:NA
Vapor Pres: 1 (BUTYL ACETATE=1)
Solubility in Water:LOW
Appearance and Odor:ORANGE - ODOR IS MILD.

===== Stability and Reactivity Data =====

Stability Indicator/Material
s to Avoid:YES
NONE.
Stability Condition to Avoid:EXCESS HEAT AND STRONG OXIDIZING AGENT.
Hazardous Decomposition Products:NA
Conditions to Avoid Polymerization:POLYMERIZATION IRRITATORS.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION: OBSERVE ALL FEDERAL, STATE AND
LOCALLAWS CONCERNING HEALTH AND POLLUTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of
the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.