

SPEEDI-BURN PRODUCTS CO INC -- LOCQUIC PRIMER N(AEROSOL) 76456 -- 8030-00-980-3975
===== Product Identification =====

Product ID:LOCQUIC PRIMER N(AEROSOL) 76456
MSDS Date:01/09/1994
FSC:8030
NIIN:00-980-3975
MSDS Number: BHFVF
=== Responsible Party ===
Company Name:SPEEDI-BURN PRODUCTS CO INC
Address:534 LINDEN ST
City:WEST HEMPSTEAD
State:NY
ZIP:11552-2649
Country:US
Info Phone Num:203-571-5100
TELEX: 275207
Emergency Phone Num:203-571-5100
Preparer's Name:STEPHEN REPETTO
CAGE:05792
=== Contractor Identification ===
Company Name:SPEEDI-BURN PRODUCTS CO INC
Address:534 LINDEN ST
Box:City:WEST HEMPSTEAD
State:NY
ZIP:11552-2649
Country:US
CAGE:05792

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 95-100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:350 PPM
AC

GIH TLV:350 PPM/450STEL;9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

Fraction by Wt: 3-5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5000 PPM

ACGIH TLV:5000PPM/30000STEL;94

Ingred Name:TERT-BUTYL ALCOHOL (SARA III)

CAS:75-65-0

RTECS #:EO1925000

Fraction by Wt: 1-3%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100PPM; 9394

Ingred Name:DIMETHOXYMETHANE

CAS:109-87-5

RTECS #:PA8750000

Fraction b

y Wt: 1-3%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9394

Ingred Name:2-ETHYLHEXANOIC ACID

CAS:149-57-5

RTECS #:MO7700000

Fraction by Wt: 0.1-1%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ORGANO-COPPER COMPOUND (2-ETHYLHEXANOIC ACID, COPPER SALT)

CAS:22221-10-9

RTECS #:MO7708000

Fraction by Wt: 0.1-1%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIALKYLAMMONIUM CARBOXYLATE

CAS:58823-74-8

Fraction by Wt: 0.1-1%

Other REC Limits:NONE RECOMMENDED

Ingred Name:V

OLITILE ORGANIC CONTENT AS LISTED ON MSDS.(EPA METHOD 24)

67.98 G/L OF BASE MATERIAL.

RTECS #:9999999VC

Fraction by Wt: 4.03%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:DERMAL >2000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:POSSIBLE EYE IRRITANT. MODERATELY TOXIC BY INGESTION.

Explanation of Carcinogenic

ity:PER MSDS:CARCINOGEN PER

NTP/IARC/OSHA:NO.

Effects of Overexposure:HEADACHE, NAUSEA, DIZZINESS. NARCOSIS AT HIGH CONCENTRATION.

Medical Cond Aggravated by Exposure:CNS,LIVER,HEART DISEASE,

ALCOHOLISM, SKIN DISORDERS, EYE PROBLEMS, RESP

DISORDERS(1,1,1-TRICHLOROETHANE). DERMATITIS (2-ETHYLHEXANOIC ACID). TARGET ORGANS:GI/LIVER/CNS.

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. GET MED ATTENTION.

INHAL

ATION: REMOVE TO FRESH AIR. GET MED ATTN. SKIN CONTACT: FLUSH

WITH WATER. EYE: FLUSH AT LEAST 15 MIN WITH WATER. GET MED

ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NONE

Extinguishing Media:CO2, FOAM, DRY CHEMICAL

Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER. HOWEVER USE APPROPRIATE PROT CLOTHING/EQPMT AS CONDITIONS WARRANT.

Unusual Fire/Explosion Hazard:CANS MAY RUPTURE IN FIRES.

=====

Accidental Release Measures =====

Spill Release Procedures:ALLOW TO EVAPORTAE WITH GOOD VENTILATION. SOAK
UP RESIDUE IN INERT ABSORBENT. STORE IN CLOSED CONTAINER UNTIL
DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110F. AVOID PROLONGED
BREATHING OF VAPOR. KEEP AWAY FROM EYES. AVOID PROLONGED SKIN
CONTACT.

Other Precautions:NONE

===== Exposure Controls/Personal Protection ===
=====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:PROVIDE ADEQUATE VENTILATION TO MAINTAIN VAPOR
CONCENTRATION BELOW TLV.

Protective Gloves:RUBBER OR PLASTIC GLOVES RECOMMENDED

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH
THIS PRODUCT.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====
=

HCC:V2

Boiling Pt:B.P. Text:170F,77C

Vapor Pres: