

DEXTER ADHESIVES AND STRUCTURAL MATERIALS DIVISION -- EA 9602.3 .080 PSF EPOXY RESIN
TAPE -- 8040-01-199-5954

===== Product Identification =====

Product ID:EA 9602.3 .080 PSF EPOXY RESIN TAPE

MSDS Date:09/01/1988

FSC:8040

NIIN:01-199-5954

MSDS Number: BHGFT

=== Responsible Party ===

Company Name:DEXTER ADHESIVES AND STRUCTURAL MATERIALS DIVISION

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country:US

Info Phone Num:415-687-420

1

Emergency Phone Num:415-687-4201

Preparer's Name:SUZANNE FRANZ

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

Fraction by Wt: 100%?

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (O

RAL RAT) IS NOT AVAILABLE

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION AND MAY SENSITIZE ALLERGIC REACTIONS IF CONTACT IS PROLONGED AND/OR REPEATED.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:MAY CAUSE EYE, SKIN IRRITATION. MAY ALSO SENSITIZE SOME INDIVIDUALS TO ALLERGIC DERMATITIS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.
SKIN: WASH WITH SOAP & WATER/WATERLESS CLEANER. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE. IF IRRITATION PERSISTS SEE A DOCTOR. INHALED:UNLIKELY EXPOSURE. INGESTION:UNLIKELY EXPOSURE,IF OCCUR
ING, GET IMMEDIATE MEDICAL CARE.

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:>300F,>149C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION
OF DENSE SMOKE AND/OR TOXIC GASSES.

===== Accidental Release Measures =====

Spill Release Procedures:PICK UP ANY PIECES.

Neutralizing Agent:NONE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE ACCORDING TO LABEL INSTRUCTIONS. STORE AT 0 F FOR 12 MONTHS.

Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE.

===== Exposure Controls/Personal Protection =====

Resp

iratory Protection:RESPIRATORY PROTECTION WILL NOT NORMALLY BE
REQUIRED. IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES
BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT
29 CFR 1910.134, INSTRUCT IONS/WARNINGS.

Ventilation:NORMAL ROOM VENTILATION IS NORMALLY SUFFICIENT.

Protective Gloves:IMPERVIOUS;PLASTIC OR RUBBER

Eye Protection:SAFETY GLASSES RECOMMENDED.

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.

Work Hygienic Practices:OBSERVE GOOD

PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:DECOMPOSES

Vapor Pres:NIL

Vapor Density:NIL

Spec Gravity:> 1

Evaporation Rate & Reference:NIL

Solubility in Water:NIL

Appearance and Odor:TAN TAPE, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, MINERAL ACID

S

Stability Condition to Avoid:NONE REPORTED

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,

NITROGEN OXIDES, ALDEHYDES, ACIDS, UNDETERMINED ORGANIC COMPOUNDS.

Conditions to Avoid Polymerization:AVOID HEATING ROLLS OF THE MATERIAL.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

HMIS SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.