View NSN Online: https://aerobasegroup.es/nsn/8030-00-117-9667

Product ID:MIL-S-22473 GRADE JV MSDS Date:03/28/1986 FSC:8030 NIIN:00-117-9667 **MSDS Number: BHLSP** === Responsible Party === Company Name: ACCRABOND, INC. Address:8848 HACKS CROSS RD. **City:OLIVE BRANCH** State:MS ZIP:38654 Info Phone Num:(601) 895-4480 Emergency Phone Num:(601) 895-4480 CAGE:5V071 === Contra ctor Identification === Company Name: ACCRABOND INC Address:8848 HACKS CROSS RD Box:City:OLIVE BRANCH State:MS ZIP:38654-3884 Country:US Phone:601-895-4480 CAGE:5V071

Ingred Name:HYDROXYETHYL METHACRYLATE, ETHYLENE GLYCOL METHACRYLATE CAS:868-77-9 RTECS #:OZ4725000

Ingred Name:DIBUTYL MALEATE CAS:105-76-0 RTECS #:ON0875000

Routes of Entry: Inhalation:YES

 Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: IRRITATION. INHALATION: HEADACHES & CRAMPING. Explanation of Carcinogenicity:NONE Effects of Overexposure:INHALATION: HEADACHES & CRAMPING. SKIN: IRRITATION.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH THOROUGHLY W/SOAP & WATER. INGESTION: SEE PH YSICI AN.
AN.
======================================
Flash Point Method:COC Flash Point:250F Extinguishing Media:WATER, CO2, SAND OR FOAM Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:WIPE UP W/PAPER TOWELS OR RAGS. CLEAN AREA W/TOLUENE OF KETONES.
======================================
Handling and Storage Precautions:DON'T FI LL CONTAINER OVER HALF FULL.
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:OPTIONAL. Ventilation:LOCAL EXHAUST/MECHANICAL: OPTIONAL Protective Gloves:PLASTIC Eye Protection:SAFETY GOGGLES Other Protective Equipment:PROTECTIVE HANDCREAM Work Hygienic Practices:WASH CLOTHING W/DISWASHING DETERGENT. Supplemental Safety and Health
======================================
Boiling Pt:B.P. Text:>200C Vapor Pres:55C.

========

Waste Disposal Methods:REACT W/PRIMER & DISPOSE AS INERT MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek compete nt professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.