

BURGESS INC. -- K10 BATTERY -- 6135-00-801-0586

===== Product Identification =====

Product ID:K10 BATTERY

MSDS Date:01/01/1987

FSC:6135

NIIN:00-801-0586

MSDS Number: BHLXJ

=== Responsible Party ===

Company Name:BURGESS INC.

Address:FOOT OF EXCHANGE STREET

City:FREEPORT

State:IL

ZIP:61032

Country:US

Info Phone Num:815-235-8000

Emergency Phone Num:815-235-8000

CAGE:0KXZ0

=== Contractor Identificatio

n ===

Company Name:BURGESS INC

CAGE:09823

Company Name:BURGESS INC.

Address:FOOT OF EXCHANGE ST.

Box:City:FREEPORT

State:IL

ZIP:61032

Country:US

CAGE:0KXZ0

===== Composition/Information on Ingredients =====

Ingred Name:MERCURY (SARA III)

CAS:7439-97-6

RTECS #:OV4550000

Other REC Limits:0.04 MG/M3

OSHA PEL:S, C, 0.1 MG/M3

ACGIH TLV:S, 0.05 MG/M3; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inha

lation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:CONTAINS NO CONFIRMED OR SUSPECTED  
CARCINOGENS.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:ABUSIVE DISCHARGE OF CELL MAY CAUSE CELL TO LEAK. IF LEAKING  
OCCURS, NEUTRALIZE CONTACTED SKIN AREA WITH A MILD ALKALINE  
SOLUTION (BICARBONATE OF SODA). IF LEAKAGE PRODUCT CONTACTS EYE,  
FLUSH WITH WAT ER AND THEN SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Autoignition Temp:Autoignition Temp Text:NONE  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER  
FOG.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CH  
EMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:DO NOT INCINERATE OR SUBJECT CELLS TO  
VERY HIGH TEMPERATURES WHICH COULD CAUSE CELL TO RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:NONE SPECIFIED BY MANUFACTURER.  
Neutralizing Agent:SODIUM BICARBONATE

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT SHORT-CIRCUIT CELL  
FOR  
PROLONGED PERIOD OF TIME. THIS CAN RESULT IN CELL LEAKAGE OR  
RUPTURE.  
Other Precautions:DO NOT ATTEMPT TO CHARGE SINCE THE CARBON-ZINC SYSTEM  
IS NOT DESIGNED TO BE CHARGED. CHARGING CAN RESULT IN LEAKAGE OR  
RUPTURE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.  
Protective Gloves:NONE NORMALLY REQUIRED.  
Eye Protection:NONE NORMALLY REQUIRED.  
Other Protective Equipment:NONE NORMALLY REQUIRED.  
Work Hygienic P

ractices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:RECTANGULAR 15 VOLT NONRECHARGEABLE BATTERY  
0.875X1.25X1.5 INCHES

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT

INCINERATE. BURY IN LANDFILL IN

ACCORDANCE WITH APPROPRIATE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to

o verify and

assume responsibility for the suitability of this information to their particular situation.