

HERNON MANUFACTURING INC. -- ANAEROBIC ADHESIVE 246 -- 8030-00-067-6746

=====
Product Identification
=====

Product ID:ANAEROBIC ADHESIVE 246
MSDS Date:10/01/1989
FSC:8030
NIIN:00-067-6746
MSDS Number: BHMCG
=== Responsible Party ===
Company Name:HERNON MANUFACTURING INC.
Address:865 ESSEX STREET
City:BROOKLYN
State:NY
ZIP:11208-5220
Country:US
Info Phone Num:718-649-3000
Emergency Phone Num:718-64
9-3000
CAGE:DO346
=== Contractor Identification ===
Company Name:HERNON MANUFACTURING
Address:121 TECH DRIVE
Box:City:SANFORD
State:FL
ZIP:32771
Country:US
Phone:407-322-4000/800-255-3924
CAGE:61603
Company Name:HERNON MANUFACTURING INC.
Address:865 ESSEX STREET
City:BROOKLYN
State:NY
ZIP:11208-5220
Phone:718-649-3000
CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:AMINE
Fraction by Wt: -1%
OSHA PEL:NOT LISTED
ACGIH TLV:NOT LISTED

Ingred Name:CATALY

ST
Fraction by Wt: -2%
OSHA PEL:50 PPM
ACGIH TLV:50 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE
Explanation of Carcinogenicity:NOT LISTED IN ANY OF THE ABOVE
Effects of Overexposure:MAY CAUSE SKIN IRRITATION IN SENSITIVE PEOPLE
Medical Cond Aggravated by Exposure:SAME AS ABOVE

=====
First Aid Measures
=====

First Aid:EYE CONTACT: IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER
AT LEAST 15 MINUTES & GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:> 200 F/ > 93 C
Lower Limits:DNA
Upper Limits:DNA
Extinguishing Media:FOAM, DRY CHEMICAL, CO2
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS &
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS
Unusual
Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH SPILL AWAY WITH WATER SPRAY. SMALL
SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID PROLONGED SKIN CONTACT
Other Precautions:STORE BELOW 100 F.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NECESSARY
Venti

ation:MECHANICAL (GENERAL) REQUIRED. OTHER NORMALLY NOT NECESSARY
Protective Gloves:RUBBER OR PLASTIC RECOMMENDED
Eye Protection:NORMALLY NOT NECESSARY
Other Protective Equipment:NONE
Work Hygienic Practices:AS REQUIRED
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:> 300 F
Vapor Pres:< 5 @ 80 F
Spec Gravity:1.028
Evaporation Rate & Reference:> 1
Solubility in Water:LOW
Appearance and Odor:BROWN, ODOR IS MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:EXCESSIVE HEAT & STRONG OXIDIZING AGENTS
Conditions to Avoid Polymerization:POLYMERIZATION IRRITATORS

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION: OBSERVE ALL FEDERAL, STATE & LOCAL
LAWS CONCERNING HEALTH & POLLUTION

Disclaimer (provided with this information by the compiling agencies):
T

his information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.