

BAKER SEALANTS & COATINGS COMPANY -- CORROSION PREVENTIVE -- 8030-00-251-5048

===== Product Identification =====

Product ID:CORROSION PREVENTIVE

MSDS Date:12/13/1989

FSC:8030

NIIN:00-251-5048

MSDS Number: BHMHP

=== Responsible Party ===

Company Name:BAKER SEALANTS & COATINGS COMPANY

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Country:US

Info Phone Num:201-333-6986 FAX 201-333-6955

Emergency Phone Num:201-333-6986 FAX 201-333-6955

Prepar

er's Name:MARIO NAVARRO

CAGE:FO833

=== Contractor Identification ===

Company Name:BAKER SEALANTS & COATINGS CO., INC.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Phone:(201) 333-6986

CAGE:FO833

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

===== Composition/Information on Ingredients =====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ

8925000
Fraction by Wt: 57%
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9293

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALE: NASAL & RESPIRATORY IRRI,
CENTRAL NERV SYS EFFECTS, DIZZ, WEAK, FATIGUE,NAUSEA, HEADACHE, &
POSSIBLE UNCONSC & DEATH. INHALE: GASTROINTESTINAL IRRI, NAUSEA,
VOMIT, DIARRHEA, ASPIRATION OF MATERIAL
INTO LUNGS-CHEM
PNEUMONITIS, CAN BE FATAL. EYES: SEVERE IRRI. SKIN: MOD IRRI,
DEFATTING, DERMATITIS.
Effects of Overexposure:EYES: SEV IRRI, RED, TEAR, BLURRED VISION.
SKIN: MOD IRRI, DEFATT, DERMATITIS. INHALE: NASAL & RESPIRATORY
IRR, CENTRAL NERV SYS, DIZZ, WEAK, FATIGUE, NAUSEA,HEADACHE,
UNCONS, DEATH. INGEST: GASTROINTESTINAL IRRI, NAUSEA, VOMIT,
DIARRHEA.ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE CHEM
PNEUMONITIS, WHICH CAN BE FATAL
Medical Cond Aggravated by Exposure:PETROLEUM HYDROCARBON & SYNTHETIC
LUBRICANTS POSE POTENTIAL HUMAN HEALTH RISK, MAY VARY,
PRECAUTION,EXPOSURE TO LIQ/VAPORS/MISTS/FUMES SHOULD BE MIN-
IMIZED.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LG AMTS OF WATER, LIFTING LIDS, GET MED
ATTEN. SKIN: THOROUGHLY WASH AREA W/ SOAP & WATER. INHALE: REMOVE TO FRESH
AIR. IF BREATH DIFF, ADMIN OXYGEN, IF BREATH HAS STOPPED ADMIN CPR.
KEEP PERSON WARM, QUIET & GET MED ATTEN.
INGESTION: DON'T INDUCE
VOMIT, KEEP PERSON WARM, QUIET & GET MED ATTEN. ASPIRATION
OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEM PNEUMONITIS,
CAN BE FATAL.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:104 F/ 40 C
Lower Limits:1.0
Upper Limits:7.0
Extinguishing Media:EXTINGUISH WITH REGULAR FOAM, CARBON DIOXIDE OR DRY
CHEMICAL
Fire Fighting Procedures:KEEP AWAY FROM SOURCES OF IGNITION. WEAR A
SELF CONTAINING BREATHING APPARATUS.

CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:IF SPILLED OR LEAKED, ELIMINATE ALL SOURCES OF
IGNITION, DIKE AREA, PUMP INTO SALVAGE TANKS, USE ABSORBENT ON
REMAINING MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:ALL HAZARD PRECAUTIONS GIVEN IN THIS
DATA SHEET MUST BE FOLLOWED.

Other Precautions:THE CONDI
TION/METHODS OF HANDLING/STORAGE USE &
DISPOSAL OF PRODUCT ARE BEYOND OUR CONTROL & MAY BE BEYOND OUR
KNOWLEDGE. FOR THIS & OTHER REASONS, WE DO NOT ASSUME
RESPONSIBILITY & EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR
EXPENSE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED RESPIRATOR

Ventilation:LOCAL EXHAUST OR MECHANICAL VENTILATION

Protective Gloves:NITRILE RUBBER GLOVES

Eye Protection:CHEMICAL GOGGLES

Suppleme

ntal Safety and Health

INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE
RELIABLEHOWEVER THE INFORMATION IS PROVIDED WITHOUT ANY
REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS
ACCURACY OR CORRECTNESS.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:300 F

Melt/Freeze Pt:M.P/F.P Text:0 F (18 C)

Vapor Pres:2.0

Vapor Density:4.8

Spec Gravity:0.760

pH:NTRAL

Evaporation Rate & Reference:70.00 ETH

ER=1.0
Solubility in Water:NEGLIGIBLE
Appearance and Odor:YELLOWISH SEMI-LIQUID ALAPHATIC ODOR
Percent Volatiles by Volume:60

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:CO, CO2, WHEN COMBUSTED

===== Disposal Considerations =====

Waste Disposal Methods:AS PER LOCAL, STATE OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.