View NSN Online: https://aerobasegroup.es/nsn/8010-00-815-2970

INTEX CHEMICAL INC. -- PAINT REMOVER, 8570 -- 8010-00-815-2970

Product ID:PAINT REMOVER, 8570

MSDS Date:06/11/1986

FSC:8010

NIIN:00-815-2970

MSDS Number: BHMWB === Responsible Party ===

Company Name: INTEX CHEMICAL INC.

Box:6648

City:GREENVILLE

State:SC ZIP:29606 Country:US

Info Phone Num:803-242-6152

Emergency Phone Num: ROCKY MT POISON CONTROL313-629-1123

Prepare

r's Name: JOHN SCOTT

CAGE:78304

=== Contractor Identification ===

Company Name: INTEX CHEMICAL INC

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648 Country:US

Phone:803-879-7100 OR 803-297-4246

CAGE:78304

======= Composition/Information on Ingredients ========

Ingred Name: AMMONIA

CAS:7664-41-7 Fraction by Wt: 5-8% OSHA PEL:50 PPM

ACGIH TLV:25 PPM/35 STEL; 9293

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS

#:PA8050000

Fraction by Wt: 45-55%

OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000 Fraction by Wt: 15-20%

OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: SODIUM CHROMATE

CAS:7775-11-3

Fraction by Wt: 0.1-1% OSHA PEL:25 UG ACGIH TLV:50 UG/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

LD50

LC50 Mixture:LISTED UNDER HEALTH HAZARDS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ORAL-LD50 DICHLOROMETHANE - RAT 2136 MG/KG; SKIN-LD50 ISOPROPANOL - RABBIT 13,000 MK/KG; INHALATION LC50(GASES,VAPORS) DICHLOROMETHANE - RAT 88,000 MG/M3/30 MININHALATION LC50(DUSTS,MISTS,FUMES) ISOPR OPANOL - RAT 16,000 PPM/8HR

Explanation of Carcinogenicity:METHLENE CHLORIDE & SODIUM CHROMATE ARE

HUMAN INDEFINITE AS A CARCINOGEN.

Effects of Overexposure:ACUTE:IRRITATION OF SKIN & EYES ON CONTACT.INHALATION MAY CAUSE NAUSEA,DIZZINESS & UNCONSCIOUSNESS.CHRONIC:POSSIBLE SKIN DAMAGE,LIVER, & CARDIO VASCULAR DISEASECARCINOGENS.

First Aid:EYE & SKIN CONTACT FLUSH W/WTR FOR 15 MINS.OBTAIN MEDICAL ATTN.INHALATION REMOVETO FRESH AIR.OBTAIN MEDICAL ATTN IF NEEDED GIVE ARTIFICIAL RESPIRATION.INGESTIO

OR EGG WHITES BEATEN W/WATER.
======================================
Flash Point:NONE Extinguishing Media:WATER FOG, CARBOND DIOXIDE CO2, FOAM. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ===========
Spill Release Procedures:ABSORB W/ABSORBENT MATE RIAL & DRUM FOR LANDFILL.
======================================
Handling and Storage Precautions:WEAR APPROPRIATE PROTECTIVE GEAR WHEN HANDLING MATERIAL.AVOID CONTACT.STORE IN COOL,DRY PLACE.KEEP CONTAINERS CLOSED WHEN NOT IN USE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:US NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. Ventilation:LOCAL MAINTAIN BELOW TLV'S. Protective Gloves:RUBBER OR NEOPR ENE
ENE Eye Protection:SAFETY GLASSES Other Protective Equipment:AVOID CONTACT W/EYES & SKIN & INHALATION OF VAPORS. Supplemental Safety and Health NK
======================================
Boiling Pt:B.P. Text:105F Vapor Density:>1 Spec Gravity:1.05 - 1.06 pH:1 Solubility in Water:INSOLUBLE Appearance and Odor:VISCOUS YELLOW LIQ W/AMMONIA ODOR
Percent Volatiles by Volume:75-85
======================================
Stability Indicat

MEDICAL AT TN IMMEDIATELY.IF CONSCIOUS GIVE MILK, MILK OF MAGNESIA

NDO NOT INDUCE VOMITING.OBTAIN

or/Materials to Avoid:YES
ACIDS
Stability Condition to Avoid:ACID MATERIALS
Hazardous Decomposition Products:THERMAL DECOMPOSITION CAN RESULT IN
EVOLUTION OF NITROGEN SULFUR & PHOSGENE.INCOMPLETE COMBUSTION
YIELDS CARBON MONOXIDE

======= Disposal Considerations ============

Waste Disposal Methods:METHODS MATERIAL MUST BE DISPOSED OF IN APPROVED CHEMICAL DUMP OR INCINERATOR.THIS MATERIAL IS CONSIDERED HAZARDOUS & MUST BE DISPOSED OF IN ACCORDANCE W/LOCAL,S
TATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.