Product ID:SOAP, LAUNDRY BUILT, HIGH TEMPERATURE MSDS Date:05/26/1989 FSC:7930 NIIN:00-926-5173 **MSDS Number: BHMYC** === Responsible Party === Company Name: GURTLER CHEMICALS INC. Address:15475 SOUTH LA SALLE STREET City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Info Phone Num:312-331-2550 Emergency Phone Num:312-331-2550 Preparer's Name:MIKE J ACOBS CAGE:0CA58 === Contractor Identification === Company Name: GURTLER CHEMICALS INC Address:15475 S LASALLE ST Box:City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Phone:708-331-2550 CAGE:0CA58

Ingred Name:SILICIC ACID, DISODIUM SALT CAS:6834-92-0 RTECS #:VV9275000 Fraction by Wt: 20-40% OSHA PEL:NA ACGIH TLV:NA

Ingred Name:SODIUM CARBONATE CAS:497-19-8 RTECS #:VZ4050000 Fraction by Wt: 10-30% ACGIH TLV:10 MG/M3 (DUST)

In

gred Name: PENTASODIUM TRIPHOSPHATE CAS:7758-49-4 Fraction by Wt: 5% Ingred Name:SODIUM TALLOWATE CAS:61789-66-0 Fraction by Wt: 30% Ingred Name:NONYLPHENOXPOLYETHOXYETHANOL CAS:9016-45-9 RTECS #:MD0900000 Fraction by Wt: 2% Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Health Hazards Acute and Chronic: MAY CAUSE SEVERE IRRITATION OF THE EYES, INCLUDING CORNEAL OPACITIES. MAY CAUSE INFLAMATION OF THE MUCOUS M EMBRANES IN THE RESPIRATORY TRACT AND OF THE SKIN. Effects of Overexposure: DUST IS IRRITATING TO THE SKIN, MUCOUS MEMBRANES, AND UPPER RESPIRATORY TRACT. First Aid: EYES: FLUSH W/COPIOUS AMNTS OF WATER FOR AT LEAST 15 MIN. SEE AN OPTHALMOLOGIST IF IRRITATION PERSISTS. SKIN: WASH WITH PLENTY OF WATER. IF **IRRI TATION OCCURES & PERSISTS OBTAIN MEDICALATTENTION.** INGST: **DRINK A GL** ASS OF WATER OR MILK. Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER, FOAM, DRY CHEMICALS Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard: SPONTANEOUS HEATING, MODERATE Spill Release Procedures: SWEEP UP AS MUCH AS POSSIBLE FOR SALVAGE OR DISPOSAL. WASH AWAY RESIDUE WITH WATER.

Neutralizing Agent:NONE

\_\_\_\_\_

Handling and Storage Precautions:DO NOT STORE CLOSED TO ACIDS. MINIMIZE
 THE FREE FALL WHEN HANDLING TO MINIMIZE THE DUST GENERATED.
 Other Precautions:WEAR EYE PROTECTION & NIOSH/MSHA APPROVED DUST
 RESPIRATOR TO PREVENT IRRITATION WHERE EXCESSIVE DUST IS PRESENT.

Respiratory Protection:WEAR DUST RESPIRATOR IF NUIANCE DUST TLV OF 10MQ/M3 IS EXCEEDED OR DISCOMFOR T ISPRESENT. Ventilation:GENERAL VENTILATION- LOCAL EXHAUST IF NEEDED FOR DUST CONTOL Protective Gloves:GENERAL PURPOSE Eye Protection:CHEMICL GOGGLES Other Protective Equipment:FULL COVER CLOTHING Supplemental Safety and Health NK

Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NA Vapor Pres:NEGLIGABLE Vapor Density:NA Spec Gravity:.79 pH:11.5 Evaporation Rate & amp; Reference:NA Solubility in Water:10% Appearance and Odor:AN OFF WHITE POWDER WITH A SOAP ODOR Percent Volatiles by Volume:NA Corrosion Rate:NA

Stability Indicator/Materials to Avoid:YES
CONTACT W/ACIDS RELEASES LARGE VOLUMES OF CARBON DIOXIDE GASAND HEAT. STRONG OXIDIZING AGENTS
Stability Condition to Avoid:CONTACT WITH ACIDS EXCEPT UNDER CONTROLLED CONDITIONS.
Hazardous Decomposition Products:NONE

======= Disposal Consideratio

Waste Disposal Methods: IF MATL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE CHEMICAL LAND FILL IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. EMPTY CONTAINERS MAY BE INCINERATED OR DISCARDED AS GENERAL TRASH.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressl

y or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.