

TUFF-KOTE CO, INC -- TUFF-KOTE -- 8030-00-975-0713

===== Product Identification =====

Product ID:TUFF-KOTE

MSDS Date:01/01/1987

FSC:8030

NIIN:00-975-0713

MSDS Number: BHMZY

=== Responsible Party ===

Company Name:TUFF-KOTE CO, INC

Address:210 SEMINARY AVE .

City:WOODSTOCK

State:IL

ZIP:60098

Country:US

Info Phone Num:815-338-2006

Emergency Phone Num:815-338-2006

CAGE:MO423

=== Contractor Identification ===

Company Name:TUFF-KOTE CO INC

Address:210 SEMINARY AVE

Box:City:WOODSTOCK

State:IL

ZIP:60098-3428

Country:US

CAGE:15489

Company Name:TUFF-KOTE CO, INC

Address:210 SEMINARY AVE

Box:City:WOODSTOCK

State:IL

ZIP:60098-3428

Country:US

CAGE:MO423

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS

ACGIH TLV:200 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:COULD PRODUCE NARCOSIS IF
CONFINED.

CONTACT MIGHT CAUSE SKIN IRRITATIONS, AND EYE IRRITATION,
TEARING, REDNESS.

Effects of Overexposure: OVEREXPOSURE CAN CAUSE DIZZINESS, EYE
IRRITATION, ACTIVATE ALLERGIES, DERMATITIS, NASAL AND RESPIRATORY
IRRITATIONS.

Medical Condition Aggravated by Exposure: RESPIRATORY, ALLERGICAL- SKIN @
INTERNAL.

===== First Aid Measures =====

First Aid: EYE: FLUSH EYE WITH LUKE WARM WATER FOR AT LEAST 15 MINUTES
OCCASIONALLY LIFTING EYELID GO SEE THE DOCTOR.
SKIN REMOVE
CLOTHES THAT ARE CONTAMINATED

===== Fire Fighting Measures =====

Flash Point Method: TOC

Flash Point: 100F @C

Lower Limits: 7.

Upper Limits: 6.

Extinguishing Media: FOAM, CO2, OR DRY CHEMICAL

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS, WATER NOT
SUITABLE, MAYBE USE TO COOL CONTAINERS, AVOID SPREADING BURNING
MATERIAL WITH WATER.

Unusual Fire/Explosion Hazard: KEEP WORK AREAS FREE OF POTENTIAL SOURCES
OF FIRE OPEN FLAMES
, ECT.

===== Accidental Release Measures =====

Spill Release Procedures: EVACUATE NON ESSENTIAL PERSONNEL. ELIMINATE ALL
POSSIBLE SOURCES OF IGNITION. COVER SPILLED AREA WITH ABSORBANT
MATERIAL. USE NON SPARKING TOOLS. SHOVEL INTO CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions: AVOID EXTREME HEAT, NO CONTACT
W/STRONG OXIDIZERS CARBON MONOXIDE/DIOXIDES.

Other Precautions: THERMAL DECOMPOSITION

ION MAY YIELD CO @ CO2

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS
Ventilation:SPARK FREE FANS, ANY FANS
Protective Gloves:CHEMICAL RESISTANT
Eye Protection:SAFETY GLASSES WITH SIDE SHIELD
Work Hygienic Practices:SHOWER AVAILABLE, DO NOT WORK ALONE, KEEP TOOLS
AND WORK AREA CLEAN, AVOID LETTING FLOOR BECOME SLIPPERY.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:280F
Melt/Freeze Pt:M.P/F.P Text:MK
Vapor Pres:2@68
Vapor Density:>AIR
Spec Gravity:1.25
Solubility in Water:INSOLUBLE
Appearance and Odor:MASTIC SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS, OPEN FLAME,
UNVENTILATED AREAS.
Hazardous Decomposition Products:BURNING CAN PRODUCE CO @ COULD EXPLODE
UNDER PRESSURE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF MATERIAL ACCORDING TO REGULATIONS, OR
POSSIBLE, FILTER AND USE NORMALLY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any pe

Person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.