

CHEMRAY COATINGS CORP. -- PAINT TRAFFIC,(NON REFLECTORIZED) BLK 37038 --
8010-00-990-1542

===== Product Identification =====

Product ID:PAINT TRAFFIC,(NON REFLECTORIZED) BLK 37038

MSDS Date:05/11/1989

FSC:8010

NIIN:00-990-1542

MSDS Number: BHNBG

=== Responsible Party ===

Company Name:CHEMRAY COATINGS CORP.

Address:209 N. MICHIGAN AVE.

City:KENILWORTH

State:NJ

ZIP:07033

Country:US

Info Phone Num:201-245-1111

Emergency Phone Num:800-924-9300

CAGE:OBRN9

=== Contr

actor Identification ===

Company Name:CHEMRAY COATINGS CORP.

Address:209 N. MICHIGAN AVE.

Box:NA

City:KENILWORTH

State:NJ

ZIP:07033

Country:US

Phone:800-924-9300

CAGE:OBRN9

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 27%

OSHA PEL:100 PPM

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 18%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA

Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:N-BUTYL ALCOHOL (SARA III)
CAS:71-36-3
RTECS #:EO1400000
Fraction by Wt: 55%
OSHA PEL:100 PPM
ACGIH TLV:S, C 50 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:VOC. ORGANIC CMPD 3.68 LB/GAL LESS WATER & NPRS* 442 G/L
RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:REPEATED AND PROLONGED OCCUPATION

OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM
DAMAGE. INTENTIONAL MISUSE MAY BE HARMFUL OR FATAL.
Effects of Overexposure:HIGH VAPOR CONCENTRATIONS ARE IRRITATING TO THE
EYE AND RESPIRATORY TRACT. MAY CAUSE HEADACHES, DIZZINESS, AND
PROLONGED SKIN CONTACT IRRITATES.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WTR FOR 15 MINS. OR UNTIL IRRIT. SUBSIDES, CALL
A PHYSICIAN SKIN: WASH THOROUGHLY W/SOAP & WATER,REMOVE
CONTAMINATED CLOTHES INHAL: REMOVE TO FRESH AIR,
CALL A PHYSICIANINGST: DO NOT INDUCE VOMITING, CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:-60F/-51.11C
Lower Limits:1
Upper Limits:7.6
Extinguishing Media:CARBON DIOXIDE, FOAM, WATER FOG, DRY CHEMICAL
Fire Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT FOR
ENCLOSED CONTAINERS WITH WATER SPRAY. AVOID BREATHING VAPOR OR
FUMES
Unus

ual Fire/Explosion Hazard:IF LEAK OR SPILL HAS IGNITED, USE WATER
SPRAY TO DISPERSE THE VAPORS FROM FIRE FIGHTERS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. KEEP FROM
HEAT, SPARKS, AND OPEN FLAME. ADD ABSORBENT TO SPILL. IF LARGE
SPILL KEEP FROM ENTERING SEWERS & WATER COURSES BY DIKING. ADVISE
AUTHORITIES IF PRODUCT HAS ENTERED.

===== Handling and Storage =====
=====

Handling and Storage Precautions:HAZARDOUS CLASSIFICATION -- FLAMMABLE,
LIQUID I.D.NO. UN1263.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE HYDROCARBON VAPOR CANISTER OR SUPPLIED AIR
RESPIRATORY IN CONFINED AREAS.

Ventilation:LOCAL EXHAUST OR MECHANICAL VENTILATION

Protective Gloves:CHEMICAL RESISTANT GLOVES

Eye Protection:SPLASH GOGGLES OR FACE SHIELD

Other Protective Equipment:CHEMICAL RESISTANT APRON OR CLOTHING

Work Hygie

nic Practices:WASH HAND THOROUGHLY AFTER USE AND KEEP
CONTAINER CLOSED WHEN NOT IN USE.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:230F

Vapor Pres:25

Vapor Density:4

Spec Gravity:1.25

Evaporation Rate & Reference:1.2

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK LIQUID WITH PAINT SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Av

oid:YES

CAN REACT WITH OXIDIZING MATERIALS WHEN HEATED TO DECOMP.

Stability Condition to Avoid:HIGH TEMPERATURE

Hazardous Decomposition Products:CARBON MONOIXIDE

===== Disposal Considerations =====

Waste Disposal Methods:ASSURE CONFORMITY WITH APPLICABLE DISPOSAL
REGULA-TIONS. DISPOSE OF ABSORBED MATERIAL AT AN APPROVEDDISPOSAL
SITE OR FACILITY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for u

se by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.