Product ID: ALKALI LAUNDRY MSDS Date:02/14/1990 FSC:7930 NIIN:00-281-1839 **MSDS Number: BHQJK** === Responsible Party === Company Name: CP INDUSTRIES Address:503 NORTH 400 WEST City:SALT LAKE CITY State:UT ZIP:84103 Country:US Info Phone Num:800-453-4931/801-521-0313 Emergency Phone Num:800-453-4931/801-521-0313 CAGE:7X475 === Contractor Identification === Company Name: CP INDUSTR IES Address:503 N 400 W Box:City:SALT LAKE CITY State:UT ZIP:84103-1311 Country:US Phone:801-521-0313 CAGE:7X475

Ingred Name:CAUSTIC SODIUM SILICATES OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3 (SUGGESTED)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:INGESTION: RESULTS IN SEVERE DAMAGE TO MUCOUS MEMBRANES. EYES: CONT ACT WITH EYESCAUSES SEVERE DAMAGE TO

EYE. DERMAL EFFECTS: IRRITATING TO SEVERELY IRRITATION TO THE SKIN. INHALATION: INHALATION OF T HE DUST CAN BE IRRITATING IF INHALED.

Explanation of Carcinogenicity:NA

Effects of Overexposure: WILL CAUSE IRRITATION TO EYES, SKIN, INGESTION AND INHALATION.

Medical Cond Aggravated by Exposure:WILL CAUSE IRRITATION TO EYES, SKIN, INGESTION AND INHALATION.

First Aid:INGE

STION: OBTAIN MEDICAL ATTENTION AS SOON AS POSSIBLE, GIVE LARGE AMOUNTS OF MILK, TO DILUTE CHEMICAL, FOLLOWING THIS, DILUTE WITH VINEGAR OR FRUIT JUICE MAYBE GIVEN TO ACCOMPLISH NEUTRALIZATION. V OMITING MAY OCCUR SPONTANEOUSLY BUTSHOULD NOT BE INDUCED. EYES: FLUSH EYES WITH WATER FOR 15 MIN. SKIN: WASH WITH PLENTY OF WATER. AND INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

Flash Point:NONE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:DO NOT USE WATER. NEUTRALIZE WITH ANY INORGANIC ACID. WEAR APPROPRIATE SAFETY EQUIPMENT.

Unusual Fire/Explosion Hazard:ALL HAZARD PRECAUTIONS IN THIS SHEET MUST BE OBSERVED.

Spill Release Procedures:LEAKS SHOULD BE STOPPED. SPILLS SHOULD BE CON-TAINED AND CLEANED UP IMMEDIATELY. NEUTRALIZE REMAINING TRACES OF MATERIAL WITH ANY DILUTE IN- ORGANIC ACID, W EAR

APPROPRIATE SAFETY CLOTHING.

Handling and Storage Precautions:EYES: FACE SHIELD AND GOGGLES OR CHEMICAL GOGGLES ARE ADVISED. GLOVES SHOULD BE WORN.
Other Precautions:CONTAINERS OF THIS PRODUCT MAY BE HAZARDOUS WHEN EMPTIED SINCE EMPTIED CON- TAINERS RETAIN PRODUCT RESIDUES (VAPOR LIQUID AND/OR SOLID, ALL HAZARDOUS PRE- CAUTIONS GIVEN IN THIS DATA SHEET MUST B E OBSERVED.

====== Exposure Con

trols/Personal Protection =========

Respiratory Protection:NOT REQUIRED. Ventilation:LOCAL EXHAUST IS NOT REQUIRED. Protective Gloves:MUST BE WORN. Eye Protection:FACE SHIELD, GOGGLES OR CHEMICAL GOGGLES Supplemental Safety and Health NK

Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:NA Evaporation Rate & amp; Reference:NA Solubility in Water:ABOUT 20% Appearance and Od or:WHITE CRYSTALLINE SOLID.

Stability Indicator/Materials to Avoid:YES
AVOID DRCT CONTACT W/WTR. DON'T MIX W/STRONG ACIDS, WITHOUT DILUTION/AGITATION. TO PREVENT VIOLENT OR EXPLOSIVE REACTION
Stability Condition to Avoid:UNDER NORMAL CONDITIONS, THE MATERIAL IS STABLE.
Hazardous Decomposition Products:NONE.
Conditions to Avoid Polymerization:IS NOT KNOWN TO OCCUR.

======= Disposal Considerations =======

=============

Waste Disposal Methods:DISPOSE OF ACCORDING TO APPROPRIATE REGULATIONS. NEUTRALIZED MATERIAL IS NOT USUALLY CONSIDERED A HAZARDOUS MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utili

zing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.