

EXPANDED RUBBER AND PLASTIC CORP -- STA-FOAM 302F, PART-A -- 9330-01-208-0985

===== Product Identification =====

Product ID:STA-FOAM 302F, PART-A

MSDS Date:06/01/1990

FSC:9330

NIIN:01-208-0985

Kit Part:Y

MSDS Number: BHRKJ

=== Responsible Party ===

Company Name:EXPANDED RUBBER AND PLASTIC CORP

Address:14000 S WESTERN AVE

City:GARDENA

State:CA

ZIP:90249-3008

Country:US

Emergency Phone Num:213-324-6692 OR 213-321-4260

CAGE:25598

=== Contractor Identification ===

Company Name:EXPANDED RUBBER AND PLASTIC CORP

Address:14000 S WESTERN AVE

Box:City:GARDENA

State:CA

ZIP:90249-3008

Country:US

Phone:310-321-4260

CAGE:25598

===== Composition/Information on Ingredients =====

Ingred Name:POLYESTER RESIN BLEND

Fraction by Wt: >90%

Other REC Limits:NONE ESTABLISHED

Ingred Name:METHYLMORPHOLINE

CAS:109-02-4

RTECS #:QE5775000

Fraction by Wt: 200F/93C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:FIRE

FIGHTERS MUST WEAR SELF-CONTAINED
BREATHING APPARATUS AND PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:OXIDES OF CARBON AND NITROGEN WILL BE
GENERATED.

===== Accidental Release Measures =====

Spill Release Procedures:USE OIL ABSORBING COMPOUND AND FLUSH AREAS
WITH HOT WATER. CLEAN UP CREW MUST WEAR FULL PROTECTIVE CLOTHING
AND EQUIPMENT.
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE MATERIAL IN TIGHTLY CLOSED
CONTAINERS IN AREAS WHERE TEMPERATURES DO NOT EXCEED 120F.
Other Precautions:SHOWERS AND EYE WASH STATIONS MUST BE AVAILABLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN MATERIAL IS HOT, USE RESPIRATOR WITH
CARTRIDGES FOR ORGANIC VAPORS.
Ventilation:USE GENERAL MECHANICAL VENTILATION.
Protective Gloves:RUBBER GLOVES.
Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE MASK.
Other Protective Equipment:NONE STATED
Work Hygienic Practices:NONE STATED
Supplemental Safety and Health
KEY1:L1. THIS IS PART A OF A TWO PART KIT. PART A IS NOT REGULATED,
PART B IS REGULATED WITH HAZARDOUS CLASS "POISON B".

===== Physical/Chemical Properties =====

HCC:T3
Vapor Pres:NIL
Spec Gravity:1.1
pH:7
Solubility in Water:SOLUBLE
Appearance and Odor:LIGHT BROWN VISCOUS LIQUID. MILD ODOR.

===== Stability and Reactivity Data =====

=

Stability Indicator/Materials to Avoid: YES

OXIDIZING MATERIALS, ISOCYANATES, ACIDS.

Stability Condition to Avoid: AVOID STORAGE TEMPERATURES ABOVE 120F.

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.