View NSN Online: https://aerobasegroup.es/nsn/8040-01-175-9193

## DEXTER CORPORATION/HYSOL AIP DIVISION -- EA 9446 PART B -- 8040-01-175-9193

Product ID:EA 9446 PART B

MSDS Date:02/24/1988

FSC:8040

NIIN:01-175-9193

MSDS Number: BHTKL === Responsible Party ===

Company Name: DEXTER CORPORATION/HYSOL AIP DIVISION

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA ZIP:94565

Info Phone Num: (415) 687-4201

Emergency Phone Nu m:(415) 687-4201

Preparer's Name: SUZANNE FRANZ

CAGE:79436

=== Contractor Identification ===

Company Name: DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282

Country:US

Phone:626-968-6511

CAGE:79436

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299 Country:US

Phone: 202-483-7616

CAGE:33564

====== Composition/Information on Ingredients =======

Ingred Name:ANILINE OLIGOMER
========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION: MATERIAL IS TOXIC. INHALATION: IRRITATION TO UPPER RESPIRATORY TRACT. Explanation of Carcinogenicity:NONE Effects of Overexposure:INGESTION: MATERIAL IS TOXIC. INHALATION: IRRITATION TO UPPER RESPIRATORY TRACT.
======================================
First Aid:EYE/SKIN: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. WASH THOROUGHLY W/SOAP & WATER, RUBBING ALCOHOL OR HAND CLEANER. DON'T USE SOLVENTS. INHALATION: REMOVE TO FRESH AIR. REMOVE SOILED CLOTHING & WASH BEFORE REUSE. IF IRRITATION PERSISTS, SEE PHYSICIAN.
======================================
Flash Point Method:TCC Flash Point:302F Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTING UISHER, WATER SPRAY, FOAM OR FOG.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS. Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASES MAY BE LIBERATED. FAILURE TO OBSERVE CAUTION MAY RESULT IN EXCESSIVE HEAT

BUILD-UP WITH RELEASE OF TOXIC GASES.

Spill Release Procedures: SCRAPE UP & TRANSFER TO METAL CONTAINER. WIPE UP REMAINING RESIDUE W/SOLVENTS, O

CAUTIONS.
======================================
Handling and Storage Precautions:STORE AT ROOM TEMPERATURE 77F FOR 12 MONTHS. AVOID CONTACT W/EYES & SKIN. WASH THOROUGHLY AFTER HANDLING. FOLLOW RECOMMENDED CURING SCHEDULE.  Other Precautions:REMOVE CONTAMINATED CLOTHING & CLEAN BEFORE REUSE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NEEDED WITH GOOD INDUSTRIAL VENTILATI ON.  Ventilation:LOCAL EXHAUST: RECOMMENDED  Protective Gloves:IMPERVIOUS PLASTIC, RUBBER  Eye Protection:SAFETY GLASSES, GOGGLES  Other Protective Equipment:AS NEEDED TO PROTECT SKIN & CLOTHING.  Work Hygienic Practices:REMOVE CONTAMINATED CLOTHING & CLEAN BEFORE REUSE.  Supplemental Safety and Health
========= Physical/Chemical Properties ==========
Spec Gravity:0.97 Evaporation Rate & Evaporation Ra
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, LEWIS OR MINERAL ACIDS. Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS. Conditions to Avoid Polymerization:DON'T HEAT MIXED ADHESIVE UNLESS CURING SURFACES TO BE BONDED. DON'T MIX RESIN/CURING AGENT IN LARGE BATCHES.
======== Disposal Considerations ==========
Waste Disp

**BSERVING SOLVENT FLAMMABILITY** 

osal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT HAZARD CLASS. IF NOT REGULATED BY DOT, DISPOSE OF AS ORM-E.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.