

INTEX CHEMICAL, INC -- 8255 EMULSION CLEANER -- 6850-00-559-2836

===== Product Identification =====

Product ID:8255 EMULSION CLEANER

MSDS Date:11/12/1985

FSC:6850

NIIN:00-559-2836

MSDS Number: BJCQJ

=== Responsible Party ===

Company Name:INTEX CHEMICAL, INC

Box:6648

City:GREENVILLE

State:SC

ZIP:29606

Info Phone Num:(303) 629-1123

Emergency Phone Num:(303) 629-1123

CAGE:FO402

=== Contractor Identif

ication ===

Company Name:INTEX CHEMICAL INC

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648

Country:US

Phone:803-879-7100 OR 803-297-4246

CAGE:78304

Company Name:INTEX CHEMICAL, INC.

Box:6648

City:GREENVILLE

State:SC

ZIP:29606

Phone:(803) 242-6152

CAGE:FO402

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHENIC PETROLEUM OIL

CAS:64741-53-3

Fraction by Wt: 90-100%

OSHA PEL:500 PPM

ACGIH TLV:5 MG/CUM

===== Hazards I

dentification =====

LD50 LC50 Mixture:ORAL RATS LD50 = 5660 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. INGESTION: SEVERE  
INTESTINAL DISTRESS. INHALATION: DIZZINESS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: IRRITATION. INGESTION: SEVERE INTESTINAL  
DISTRESS. INHALATION: DIZZINESS.

===== First Aid Measures

=====

First Aid:EYES/SKIN: FLUSH W/WATER FOR AT LEAST MINS. OBTAIN MEDICAL  
HELP. INHALATION: REMOVE AFFECTED PERSON TO FRESH AIR. INGESTION:  
DON'T INDUCE VOMITING. OBTAIN MEDICAL HELP IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:OC

Flash Point:152F

Extinguishing Media:CO2, FOAM

Fire Fighting Procedures:USE APPROPRIATE METHOD FOR FIRE SOURCE, WEAR  
SELF CONTAINED BREATHING.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SPILL OR RELEASE: ABSORB W/ABSORBANT MATERIAL  
& DRUM FOR LANDFILL.

===== Handling and Storage =====

Handling and Storage Precautions:MOVE W/BUNGS IN PLACE. WEAR ADEQUATE  
EQUIPMENT WHEN TRANSFERRING CHEMICAL. DANGEROUS PROPERTIES OF  
INDUSTRIAL MATERIALS IRVING SAX FOURTH EDITION.

===== Exposure Controls/Personal Protection =====

Respir

atory Protection:FULL PROPRIETARY DISCLOSURE HAS BEEN MAD TO THE  
ROCKY MOUNTAIN POISON CONTROL THEN MAY BE CONTACTED IN CASE OF  
INDUSTRIAL ACCIDENT ONLY.

Protective Gloves:RUBBER

Eye Protection:SFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>370F

Spec Gravity:0.78

Appearance and Odor:CLEAR LIQUID; SOLVENT ODOR.

Percent Volatiles by Volume:93-99

===== Stability and Reactivity Data =====  
=====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Stability Condition to Avoid:FLAMES, HEAT

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:METHODS SPLIT OIL FROM EMULSION FOR OIL  
RECOVERY, REMAINING SOLUTION IS BIODEGRADABLE. ALWAYS CHECK WITH  
LOCAL AUTHORITY BEFORE RELEASING ANY SUBSTANCES.

Disclaimer (provided with this information by the compiling agencies):

This information is for

mulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.