

JOHNSON & JOHNSON DENTAL CARE COMPANY -- 2797 LIGHT CURED OPAQUE DELTON P&F SEALANT -- 6520-01-295-0802

=====  
Product Identification  
=====

Product ID:2797 LIGHT CURED OPAQUE DELTON P&F SEALANT

MSDS Date:03/22/1988

FSC:6520

NIIN:01-295-0802

MSDS Number: BJCXH

=== Responsible Party ===

Company Name:JOHNSON & JOHNSON DENTAL CARE COMPANY

Address:501 GEORGE STREET

City:NEW BRUNSWICK

State:NJ

ZIP:08903

Info Phone Num:(201) 524-6723

Emergency Phone Num:(201) 524-6723

CAGE:64397

=== Contractor Identification ===

Company Name:JOHNSON & JOHNSON DENTAL CARE COMPANY

Address:501 GEORGE STREET

Box:City:NEW BRUNSWICK

State:NJ

ZIP:08903

Country:US

Phone:201-524-6723

CAGE:64397

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AROMATIC & ALIPHATIC DIMETHACRYLATE MONOMERS

Fraction by Wt: 98.54%

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt:

3%

Other REC Limits:10 MG/CUM

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:SILICA

CAS:7631-89-9

Fraction by Wt: 3%

Other REC Limits:10 MG/CUM

Ingred Name:ETHYL-P-DIMETHYL-AMINO BENZOATE

Fraction by Wt: 1.08%

Ingred Name:LIGHT ACTIVATORS

Fraction by Wt: 5000 MG/KG

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: REPEATED CONTACT MAY CAUSE REDDENING, DRYING

, CRACKING, & IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: IRRITATION. SKIN: REPEATED CONTACT MAY CAUSE REDDENING, DRYING, CRACKING, & IRRITATION.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH W/COPIOUS QUANTITIES OF WATER FOR 15 MINS. SEEK MED ATT. SKIN: WASH W/SOAP & WATER. USE MOISTURIZING CREAM.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:DRY CHEMICAL FOAM, CO2

Fire Fighting Procedures:USE PROTECTIVE GEAR. USE WATER FOG TO COOL LARGE CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:MATERIAL MAY BURN IF EXPOSED TO FLAME.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ABSORB ONTO VERMICULITE & CLAY. SCOOP UP & DISPOSE INTO ACCEPTABLE CONTAINERS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AWAY FOR IGNITION SOURCES. PRO

TECT FROM HEAT. KEEP CONTAINERS CLOSED WHEN NOT IN USE. AVOID PROLONGED CONTACT W/SKIN.

Other Precautions:AVOID CONDITIONS WHICH MAY RESULT IN DISPERSION TO STREAMS & WATERWAYS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQUIRED

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:NONE

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Spec

Gravity:1.2

Appearance and Odor:TRANSPARENT LIGHT AMBER LIQUID, CHARACTERISTIC METHACRYLATE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:IGNITION SOURCES, HEAT, ELEVATED TEMPERATURES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL REGULATIONS FOR RELATIVELY NONTOXIC ORGANICS. AVOID CONDITIONS WHICH MAY RESULT IN DISPERSION TO STREAMS & WATERWAYS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.