

PROCTOR AND GAMBLE DISTRIBUTION CO -- ORVUS WA PASTE 60470, 60285 -- 6750-00-912-3515

===== Product Identification =====

Product ID:ORVUS WA PASTE 60470, 60285

MSDS Date:03/01/1988

FSC:6750

NIIN:00-912-3515

MSDS Number: BJJFZ

=== Responsible Party ===

Company Name:PROCTOR AND GAMBLE DISTRIBUTION CO

Address:630 MAIN ST

Box:85524

City:CINCINNATI

State:OH

ZIP:45224

Country:US

Info Phone Num:513-562-1100

Emergency Phone Num:513-562-1100

CAGE:2V084

=== Contractor I

dentification ===

Company Name:CATLANA INSTRUMENT CORP

CAGE:30225

Company Name:PROCTOR AND GAMBLE DISTRIBUTION CO

Address:630 MAIN ST

Box:85524

City:CINCINNATI

State:OH

ZIP:45202-2509

Country:US

CAGE:2V084

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:SODIUM ALKYL SULFATE

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: I

nhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ORVUS WA PASTE MAY BE IRRIT TO SKIN OR EYES.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:EXPECTED TO BE EMETIC. EYE CONTACT WITH THE PRODUCT OR ITS AQUEOUS SOLUTION MAY CAUSE MILD TRANSIENT IRRITATION.
Medical Cond Aggravated by Exposure:NONE.

===== First Aid Measures =====

First Aid:INGEST: DILUTE WITH WATER OR MILK AND TREAT SYMPTOMATICALLY.
EYE CONTACT: FLUSH WITH WATER THOROUGHLY FOR 15 MINUTES. SKIN IRRITATION: DISCONTINUE USE, APPLY COLD COMPRESS TO RELIEVE IRRITATION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:200F,93C
Extinguishing Media:MATERIAL IS 70 % WATER, NOT LIKELY TO BURN.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZATION NOT REQUIRED. FLUSH SURFACE WITH WATER.
Neutralizing Agent:NEUTRALIZATION NOT REQUIRED.

===== Handling and Storage =====

Handling and Storage Precautions:STORE WELL BELOW 140F AND MAINTAIN PH ABOVE 7.0 TO PREVENT DECOMPOSITION.
Other Precautions:IF A SPRAY OR MIST IS GENERATED, USE A BUREAU OF MINES- OSHA APPROVED RESP

IRATOR FOR ORGANIC MIST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED FOR NORMAL USE.

Ventilation:MECHANICAL (GENERAL): ACCEPTABLE . LOCAL: NONE REQUIRED FOR NORMAL USE.

Protective Gloves:PLASTIC OR RUBBER.

Eye Protection:CHEMICAL WORKERS GOGGLES

Other Protective Equipment:NONE REQUIRED WITH NORMAL USE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:210F,99C

Vapor Pres:20 MM/HG

Spec Gravity:1.04

Solubility in Water:COMPLETE

Appearance and Odor:WHITE PASTE OR AMBER LIQUID, FAINT DETERGENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID MIXING WITH STRONG ACIDS.

Stability Condition to Avoid:DECOMPOSE ABOVE 140F OR IF PH FALLS BELOW 7.

Hazardous Decomposition Products:SULFUR DIOXIDE,
HYDROGEN SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT IS A BIODEGRADABLE SUFACTANT. IF PERMITTED,FLUSH DOWN SEWER WITH LARGE ECESS OF WATER OR DISPOSE AT LANDFILL.DISPOSAL IS TO BE PREFORMED IN COMPLIANCE WITH ALL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no mann

er whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.