

CHEM SEAL, A DIVISION OF THE FLAMEMASTER CORP. -- CS2725 -- 8030-00-670-8556

===== Product Identification =====

Product ID:CS2725

MSDS Date:05/11/1988

FSC:8030

NIIN:00-670-8556

Kit Part:Y

MSDS Number: BJKPK

=== Responsible Party ===

Company Name:CHEM SEAL, A DIVISION OF THE FLAMEMASTER CORP.

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Phone Num:818-982-1650

Preparer's Name:RAY HOGENSON/Q.C. MNGR

CAGE:DO114

=== Contractor Identification ===

Company Name:CHEM SEAL, A DIV OF THE FLAMEMASTER CORP

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Phone:818-982-1650

CAGE:DO114

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 1

%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:POLYAMINE
CAS:68822-50-4
RTECS #:TQ0525000
Fraction by Wt: 11%

Ingred Name:EPOXY RESIN
Fraction by Wt: 19%

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 69%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9192

===== Hazards Identification =====

Health Hazards Acute and Chronic:PART B MAY CAUSE DERMATITIS.
Effects of Overexposure:PART B
MAY CAUSE DERMATITIS.

===== First Aid Measures =====

First Aid:IN CASE OF SKIN CONTACT, WASH WITH PLENTY OF WATER. FOR EYES:
GET IMMEDIATE MEDICAL AID AND WASH WITH PLENTY OF WATER FOR 15
MINUTES. HARMFUL IF SWALLOWED. IF SWALLOWED INDUCE VOMITING. REPEAT
UNTIL V OMIT IS CLEAR, CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:> 200 F/>93 C
Extinguishing Media:CARBON DIOXIDE AND DRY EXTINGUISH
ERS.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ORDINARY CLEAN-UP METHODS.

===== Handling and Storage =====

Handling and Storage Precautions:RECOMMENDED THAT IT BE STORED IN A
TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE.
Other Precautions:AVOID PROLONGED EXPOSURE TO SKIN.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:NOT REQUIRED
Ventilation:LOCAL EXHAUST
Protective Gloves:YES
Eye Protection:RECOMMENDED
Other Protective Equipment:HAND CREAMS AND LOTIONS AFTER CLEAN-UP.
Supplemental Safety and Health
KEY1:T6.

===== Physical/Chemical Properties =====

HCC:T6
Boiling Pt:B.P. Text:>400F,>204C
Spec Gravity:1.7 (H2O=1)
pH:7
Viscosity:12,000 POISES
Solubility in Water:INSOLUBLE
Appearance and Odor:PART A - WHITE PASTE AND PART B - GRAY PASTE.
Percent Volatiles by Volume:0.1

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:NO, NO2, CO, CO2, NH3 AND POSSIBLY
SOME ALDEHYDES AND INORGANIC ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods:SANITARY LANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.