

TRIAD PAINT AND CHEMICAL CORP. -- TT-S-711C -- 8010-00-281-2077

===== Product Identification =====

Product ID:TT-S-711C
MSDS Date:01/01/1987
FSC:8010
NIIN:00-281-2077
MSDS Number: BJLDY
=== Responsible Party ===
Company Name:TRIAD PAINT AND CHEMICAL CORP.
Address:810 EVERGREEN AVENUE
City:BROOKLYN
State:NY
ZIP:11207
Country:US
Info Phone Num:718-443-2778
Emergency Phone Num:718-443-2778
CAGE:33151

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES
Address:39 AVENUE C
Box:8
City:BAYONNE
State:NJ
ZIP:07002-3417
Country:US
Phone:201-437-6501
CAGE:33150
Company Name:TRIAD PAINT AND CHEMICAL CORP
Address:810 EVERGREEN AVE
Box:City:BROOKLYN
State:NY
ZIP:11207-1140
Country:US
CAGE:33151

===== Composition/Information on Ingredients =====

Ingred Name:PIGMENTS
Fraction by Wt: 6.6%
Other REC Limits:NONE SPECIFIED

Ingred Name:VEHICLE
Fraction by Wt: 93.4%
Other REC

Limits:NONE SPECIFIED

Ingred Name:SOLVENTS
Fraction by Wt: 62.4%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:100 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:VAPORS MIGHT BE IRRITATING TO EYES,
NOSE & THROAT. POSSIBLE DEFATTING.
Effects of Overexposure:VAPORS MIGHT BE IRRITATING TO EYES NOSE &
THROAT. REPEATED EXCESSIVE EXPOSURE MAY RESULT IN HEADACHE,
DIZZINESS, SLEEP
INESS & NAUSEA. POSSIBLE DEFATTING.

===== First Aid Measures =====

First Aid:INHALATION: PROVIDE FRESH AIR & REST. SKIN CONTACT: WASH WITH
MILD SOAP & WATER. USE EMOLLIENT CREAM OR LOTION. EYE CONTACT: WASH
WITH A GENTLE STREAM OF WATER FOR 10 MINUTES. SEE A DOCTOR.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:105 F/41 C
Lower Limits:1.0
Upper Limits:6.0
Extinguishing Media:FOAM, CO2, DR
Y CHEMICALS.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED
RESPIRATORS. WATER STREAM WILL SPREAD OIL FIRES.
Unusual Fire/Explosion Hazard:KEEP WORK AREAS FREE OF HOT METAL
SURFACES & OTHER SURFACES OF IGNITION. VAPORS FORM EXPLOSIVE
MIXTURE BETWEEN UPPER & LOWER EXPLOSIVE UNITS.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID FLAME & SPARK SOURCES. PROVIDE ADEQUATE
VENTILATION. WIPE UP SPILL WITH INERT ABSOR

BENT(S) & NON-SPARKING

TOOLS. SAFETLY DISCARD SATURATED ABSORBENT(S). AVOID PROLONGED BREATHING OF VAPORS WHILE CLEANING UP SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID OPEN FLAMES & SPARK SOURCES.
PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE HEAT.

Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. AVOID PROLONG OR REPEATED BREATHING OF VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC CANNISTER MASK OR AIR PACK IF VENTILATION IS INADEQUATE.

Ventilation:MECHANICAL (GENERAL) WITH APPROVED CLASS D EXPLOSION PROOF MOTOR & SWITCHES.

Protective Gloves:NEOPRENE RUBBER GLOVES

Eye Protection:CHEMICAL SAFETY GOGGLES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:315 TO 382F

Vapor Pres:100 F

Vapor Density:5.0

Spec Gravity:.901

Ev

aporation Rate & Reference:.12 (N-BUTYL ACETATE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:MAPLE COLORED LIQUID. HYDROCARBON ODOR.

Percent Volatiles by Volume:72

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CO, CO2, ACRID FUMES & SMOKE WHEN COMBUSTED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPO

SAL PROCEDURES MUST COMPLY WITH LOCAL,
STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.