

INTEX CHEMICAL INC -- PAINT REMOVER 8570 -- 8010-00-815-2970

=====  
Product Identification  
=====

Product ID:PAINT REMOVER 8570  
MSDS Date:06/20/1990  
FSC:8010  
NIIN:00-815-2970  
MSDS Number: BJNXG  
=== Responsible Party ===  
Company Name:INTEX CHEMICAL INC  
Box:6648  
City:GREENVILLE  
State:SC  
ZIP:29606  
Country:US  
Emergency Phone Num:800-424-9300  
CAGE:78304

==== Contractor Identification ====

Company Name:INTE  
X CHEMICAL INC  
Address:122 EDINBURG CT  
Box:6648  
City:GREENVILLE  
State:SC  
ZIP:29606-6648  
Country:US  
Phone:803-879-7100 OR 803-297-4246  
CAGE:78304

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AMMONIA (SARA III)  
CAS:7664-41-7  
RTECS #:BO0875000  
Fraction by Wt: 5-8%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:50 PPM  
ACGIH TLV:25 PPM/35 STEL; 9293  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:METHYLENE CHLORIDE (SARA III)  
CAS:75-09-2  
RTECS #:PA8050000  
Fractio

n by Wt: 47-52%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:500 PPM/C,1000; Z2  
ACGIH TLV:50 PPM, A2; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 15-20%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:SODIUM CHROMATE (SARA III)  
CAS:7775-11-3  
RTECS #:GB2955000  
Fraction by Wt: .1-1%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:0.1 PPM CRO3;CEILING  
ACGIH TLV:0.0  
5 MG CR/M3; 9192  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:MAY COMBINE WITH BLOOD TO FORM  
CARBOXYHEMOGLOBIN AS CARBON MONOXIDE DOES.  
Explanation of Carcinogenicity:METHYLENE CHLORIDE  
Effects of Overexposure:IRRITATED SKIN AND EYES, DIZZINESS, INTESTINAL  
DISTRESS. MAY CAUSE KID  
NEY AND LIVER DAMAGE.

===== First Aid Measures =====

First Aid:EYE AND SKIN: FLUSH EYES WITH LARGE AMOUNTS OF WATER, HOLDING  
LIDS APART. WASH SKIN WITH SOAP AND WATER. INHALATION: REMOVE TO  
FRESH AIR. ADMINISTER OXYGEN IF NECESSARY. INGESTION: DO NOT INDUCE  
VOMIT ING. GIVE LARGE AMOUNTS OF WATER OR MILK IF AVAILABLE. IF  
VOMITING SHOULD OCCUR, KEEP AIRWAYS CLEAR. GET IMMEDIATE MEDICAL  
ATTENTION FOR ANY OF THE ABOVE LISTED CONDITIONS.

==

=====  
Fire Fighting Measures  
=====

Extinguishing Media:WATER, FOG, CARBON DIOXIDE, OR FOAM.

Fire Fighting Procedures:EXTINGUISHING METHOD FOR FIRE SOURCE.

Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COLLECT SPILL WITH ABSORBENT MATERIAL, DRUM FOR LANDFILL. FLUSH RESIDUE WITH WATER.

=====  
Handling and Storage  
=====

Handling and Storage Pr

ecautions:STORE AWAY FOR INCOMPATIBLE MATERIALS.

STORE IN COOL, DRY PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:MOVE WITH BUNGS IN PLACE. WEAR EYE PROTECTION AND GLOVES.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH APPROVED SELF-CONTAINED.

Ventilation:LOCAL 1

Spec Gravity:1.05-1.06

pH:12 TO\*

Viscosity:900-1300 CPS

Solubility in Water:INSOLUBLE

Appearance and Odor:VISCIOUS YELLOW LIQUID/ AMMONIA ODOR. \*12.4 Percent

Volatiles by Volume:75-85

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

ACIDS.

Hazardous Decomposition Products:EVOLUTION OF NITROGEN, CARBONS.

Conditions to Avoid Polymerization:ACIDS.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOSE OF IN APPROPRIATE LANDFILL OR INCINERATE, IN ACCORDANCE WITH PROPER AUTHORITIES.

Disclaimer (provided with this information by the compilin

g agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.