

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PRO-SEAL 501, PART B -- 8040-00-126-7798

===== Product Identification =====

Product ID:PRO-SEAL 501, PART B

MSDS Date:02/08/1990

FSC:8040

NIIN:00-126-7798

Kit Part:Y

MSDS Number: BJQLS

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:213-240-2060

Emergency Phone Num:213-240-2060

Preparer's

Name:C.A. EISENHARD

CAGE:DO563

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:G

LENDALE
State:CA
ZIP:91209
Phone:818-240-2060
CAGE:DO563

===== Composition/Information on Ingredients =====

Ingred Name:CYCLOHEXANONE (SARA III)
CAS:108-94-1
RTECS #:GW1050000
Other REC Limits:50 PPM
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:2,4,6-TRI(DIMETHYLAMINO-METHYL) PHENOL
CAS:90-72-2
RTECS #:SN3500000

Ingred Name:SILICA
CAS:7631-86-9
RTECS #:VV7322000
Other REC Limits:20 MPPCF

Ingred Name:THIOL TERMINATED POLYETHER, POLYDITHIOETHER (POLYSULFIDE LIQUID POLYMER)
CAS:68611-50-7

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYES: MODERATE IRRITATION. MAY CAUSE EYE DAMAGE. SKIN: LOCAL IRRITATION. MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: MAY IRRITATE MUCOUS MEMBRANES. INGESTION: MAY CAUSE NAUSEA, ABDOMINAL PAIN. LIVER AND KIDNEY DAMAGE.

=

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AI R. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:CO2, DRY CHEMICAL, FOAM AND WATER FOG.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:COVER WITH ABSORBENT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW PEL.

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

KEY1:T6.

===== Physical/Chemical Properties =====

HCC:P1

Vapor Density:3.4

Spec Gravity:1.3

Evaporation Rate & Reference:1

Solubility in Water:NEGLIGIBLE

Percent Volatiles by Volume:2

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

Hazardo

us Decomposition Products:OXIDES OF CARBON AND NITROGEN, SO₂,
TRACES OF H₂S.

===== Disposal Considerations =====

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA
REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF
SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever

r,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.