

DESOTO, INC. -- HI TEMP PRIMER ACTIVATOR 910X357 -- 8010-00-139-3661

=====  
Product Identification  
=====

Product ID:HI TEMP PRIMER ACTIVATOR 910X357

MSDS Date:04/17/1990

FSC:8010

NIIN:00-139-3661

Kit Part:Y

MSDS Number: BJQLZ

=== Responsible Party ===

Company Name:DESOTO, INC.

Address:1700 S. MOUNT PROSPECT

Box:5030

City:DES PLAINES

State:IL

ZIP:60017

Country:US

Info Phone Num:708-391-9000

Emergenc

y Phone Num:708-391-9000/800-424-9300

CAGE:32758

=== Contractor Identification ===

Company Name:DESOTO INC

Address:1700 S MT PROSPECT RD

City:DES PLAINES

State:IL

ZIP:60018-1804

Country:US

Phone:708-391-9000

CAGE:62758

Company Name:DESOTO, INC.

Box:5030

CAGE:32758

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 30%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty

:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 50%

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:ALIPHATIC AMINE

Fraction by Wt: 15%

Ingred Name:VOC: 703 GRAMS/LITER

RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INHALE: NASAL/RSPRTRY IRRIT, ACUTE  
CENTRAL NERV SYST DEPRESS. ASPHYXIATION

. SKIN: IRRIT, DEFATTING,

DERMATITIS. EYE: IRRIT. INGEST: GASTROINTEST IRRIT. ASPIRATION

MAT'L INTO LUNGS-CHEM PNEUMONITIS, PO SS FATAL. REPORTS ASSOC

REPEAT/PROLONG OCCUPATIONAL OVEREXPOSURE TO SOLVENTS W/PERMANENT  
BRAIN/NERVOUS SYSTEM DAMAGE.

Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, STAGGERING

GAIT, CONFUSION OR UNCONSCIOUSNESS. INGESTION: NAUSEA, VOMITING,

DIARRHEA. EFFECTS INCLUDE CONCENTRATION DIFFICULTIES, DIMINISHED

MANUAL DEXTERITY AND MEMOR Y

LOSS. AVOID PROLONGED AND REPEATED

CONTACT WITH THIS PRODUCT. SKIN: BURNS AND SKIN SENSITIZATION. EYE:  
POSSIBLE BURNS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN, LUNG AND EYE  
CONDITIONS.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR FROM EXPOSURE. GIVE CPR IF  
REQUIRED. IF BREATHING DIFFICULT, GIVE OXYGEN. KEEP WARM & QUIET.

GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREAS W/SOAP & WATER. DO  
NOT

USE SOLVENTS. REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE. GET MEDICAL ATTENTION. EYE: FLUSH W/WATER-15 MIN. GET MEDICAL ATTENTION, PREFERABLY BY OPHTHALMOLOGIST. INGESTION: GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:37.0F,2.8C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM.

Fire Fighting Procedures:WATER SPRAY INEFFECTIVE. COOL FIRE EXPOSED CONTAINERS W/WATER. FOG NOZZLES PREFERABLE. WEAR NIOSH/MSHA

APPRV'D SCBA/PROTECTIVE CLOTHING-PREVENT SKIN/EYE EXPOS.

Unusual Fire/Explosion Hazard:VAP MAY ACCUM IN POORLY VENT/CONFINED AREA.FORM EXPLOS MIX W/AIR.TRAVEL LONG DISTANCE.FLASHBACK/FLAME TO HANDLING SITE POSS. CLOSED CONTAINER MAY EXPLODE W/HEAT

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITE SOURCES. WEAR PERSONAL PROTECT EQUIP TO AVOID BREATH VAPOR & SKIN/EYE CONTACT. USE NON-SPARKING TOOLS. USE EMERG RESPONSE

PROFESSIONAL IF RELEASE IS BEYOND

CAPABILITY OF IN-HOUSE PERSONN EL. SMALL SPILLS: DIKE/ABSORB W/INERT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CLOSED TIGHT.KEEP FROM HEAT,ELECTRIC EQUIP,SPARKS,FLAME.DON'T STORE ABOVE 49 C.STORE FLAMM LIQ PER NFPA CODES/GOV REGS.AVOID FREE FALL OF LIQUID.

Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOS VAPOR. FOLLOW GROUND/BOND PROCED WHEN TRANSFER. NO SMOKING NEAR DRUMS. DON'T

APPLY TO HOT SURFACES,CUT,PUNCTURE,WELD ON/NEAR DRUM. DON'T TAKE INTERNALLY/CONC TO INHALE V APOR. PREVENT CONTACT W/CONTAM CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN AREAS WHERE TLV'S EXCEED OR SPRAY MIST IS PRESENT, USE NIOSH/MSHA APPROVED RESPIRATORY PROTECTION APPROPRIATE FOR INDICATED COMPONENTS. IN CONFINED AREAS USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIR ATORS. FOLLOW MANUFACTURER'S DIRECT

IONS.

Ventilation:LOCAL EXHST VENT TO KEEP HAZ INGRED LEV BELOW TLV/PEL  
LIMIT. IF EMPLOYEES NOT EXPOS, KEEP LEV BELOW 25% OF LEL.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS/GOGGLES

Other Protective Equipment:AVOID SKIN CONTACT-USE OTHER PROTECTIVE  
CLOTHING. A SAFETY SHOWER, AN EYE BATH, WASHING FACILITIES SHOULD  
BE AVAILABLE.

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

UNAUTHORI

ZED RELEASE TO ENVIRON MAY BE REPORTABLE UNDER FED LAW TO THE  
NATIONAL RESPONSE CTR. STATE/LOCAL GOVERNMENTAL AGENCIES MAY ALSO  
HAVE REPORTING REQUIREMENTS OF WHICH YOU SHOULD BE AWARE. VAPOR S  
ARE HEAVIER THAN AIR & MAY COLLECT INLOW/CONFINED AREAS. DON'T  
ENTER SUCH AREAS WITHOUT FOLLOWING APPROP PROCEDURES.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:180 TO 232F

Vapor Density:> AIR

Spec Gravity:.84

Evaporation Rate & Reference

:< N-BUTYL ACETATE

Appearance and Odor:LIQUID, SOLVENT ODOR.

Percent Volatiles by Volume:89.58

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE HAZARDOUS  
INCLUDING CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSING: BE SURE IT IS PACKAGED, STORED,  
TRANSPORTED & OTHERWISE MANAGED

PER LOCAL, STATE, FED REGS. NO

DISPOSAL METHOD IS TO BE USED THAT WOULD POSE AN ENVIRONMENTAL OR  
HUMAN HEALTH THREAT OR WOULD CONTAMINATE GROUND OR SURFACE WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person

utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.