

TEXACO -- 01546 MILITARY SYMBOL 2190 TEP -- 9150-01-304-6602

===== Product Identification =====

Product ID:01546 MILITARY SYMBOL 2190 TEP

MSDS Date:06/21/1989

FSC:9150

NIIN:01-304-6602

MSDS Number: BJRVD

=== Responsible Party ===

Company Name:TEXACO

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Info Phone Num:914-838-7509

Emergency Phone Num:914-831-3400;800-424-9300(CHEMTREC)

Preparer's

Name:M J VON ALLMEN

CAGE:06668

=== Contractor Identification ===

Company Name:NEW STANTON MACHINE AND TOOL

CAGE:65189

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

Company Name:TEXAS INSTRUMENTS INC INFORMATION TECHNOLOGY GROUP

Address:14902 SOMMERMEYER ST NO 100

Box:1444

City:HOUSTON

State:TX

ZIP:77251

Country:US

Phone:800-336-5236

CAGE:06668

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEU

M DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC
(MINERAL OIL)

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 95-99.9%

Other REC Limits:10 MG/M3 STEL(O MST)

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:LD50:(ORAL)>5G/KG(RAT);(DERM)>3G/KG(RBT)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:(ACUTE) EY

ES/SKIN: BELIEVED TO BE

MINIMALLY IRRITATING. INHAL: VAPORS OR MIST IN EXCESS OF
PERMISSIBLE CONCENTRATIONS MAY CAUSE IRRITATION (NOSE/THROAT),
HEADACHE, NAUSEA, AND DROWSINESS.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: AS WITH MOST FOREIGN MATERIALS, SHOULD EYE CONTACT
OCCUR FLUSH E

YES WITH PLENTY OF WATER AT LEAST 15 MIN. INHAL: IF

IRRITATION OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. SKIN/INGEST:
CALL MD IMM EDIATELY .

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:425F,218C

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT . USE WATER TO COOL FIRE-EXPOSED CNTNRS.

Unusual Fire/Explosion Hazard:WATER

OR FOAM MAY CAUSE FROTHING. IF A

LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE VAPORS
AND TO PROVIDE PROTECTION FOR PERSONNEL.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB
ON SUITABLE MATERIAL AND SHOVEL UP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MAINTAIN MINIMUM

FEASIBLE HANDLING

TEMPS. MINIMIZE EXPOS TO HIGH TEMPS. AVOID WATER CONTAM.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE
FOR EXPOSURE OF CONCERN .

Ventilation:NORMAL VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:CHEM WORK GOGGLES, FACESHIELD OPT

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices

:CLEANSE EXPOSED SKIN AREAS SEVERAL TIMES DAILY

W/ SOAP & WATER, LAUNDER/DRY CLEAN SOILED WORK CLOTHING AT LEAST
WEEKLY.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.89

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposit

ion Products:CARBON MONOXIDE, CARBON DIOXIDE,

ALDEHYDES AND KETONES, COMBUSTION PRODUCTS OF NITROGEN AND SULFUR

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly

or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.