

EVERSEAL MFG CO INC -- RUST INHIBITIVE COATING -- 8030-00-852-8013

===== Product Identification =====

Product ID:RUST INHIBITIVE COATING

MSDS Date:05/12/1987

FSC:8030

NIIN:00-852-8013

MSDS Number: BJYKC

=== Responsible Party ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGEFIELD

State:NJ

ZIP:07657

Country:US

Info Phone Num:201-943-4986

Emergency Phone Num:201-943-4986

CAGE:7298

8

=== Contractor Identification ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGEFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:RESIN

Fraction by Wt: 17%

Ingred Name:FISH OIL

Fraction by Wt: 11%

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: 23%

Other REC Limits:10 MG/M3 AS DUST

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred N

ame:ZINC CHROMATE - AS CR
CAS:37300-23-5
RTECS #:GB3300000
Fraction by Wt: 1%
Other REC Limits:0.1 MG/M3 AS DUST

Ingred Name:SILICA, AMORPHOUS, DIATOMACEOUS EARTH, CONTAINING LESS THAN
1% CRYSTALLINE SILICA
CAS:61790-53-2
RTECS #:HL8600000
Fraction by Wt: 6%
Other REC Limits:0.08 MG/M3 AS DUST
OSHA PEL:20 MPPCF
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:MINERAL SPIRITS (VAPOR PRESSURE 5 MM HG) (TOXICITY: 5 G/KG
(ORAL))
CAS:64475-85-0
RTECS #:PY8240000
Fraction by Wt: 25%
Other REC Limi
ts:120 PPM

Ingred Name:MAGNESIUM SILICATE
CAS:14807-96-6
RTECS #:VV7720000
Fraction by Wt: 11%
Other REC Limits:2 MG/M3 AS DUST

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:INHALATION: DIZZINESS, NAUSEA,
UNCONSCIOUSNESS. IRRITATING TO SKIN AND EYES.
Explanation of Carcinogenicity:CHROMATES ARE LISTED AS CARCINOGENS.

===

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION
IF NECESSARY. SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH
WATER. CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:105F,41C
Lower Limits:1
Extinguishing Media:FOAM, CO2, DRY CHEMICAL.
Unusual Fire/Explosion Hazard:WATER NOT SUITABLE EXTINGUISHING MEDIUM.
FIRE FIGHTERS SHOULD WEAR SELF-CONTAI

NED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SMALL SPILLS ON DRY ABSORPTION MEDIA.
USE SPARK-PROOF SCOOP FOR LARGER SPILLS. ENSURE ADEQUATE
VENTILATION. REMOVE OPEN IGNITION.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EXCESSIVE HEAT OR OPEN IGNITION
SOURCES.

Other Precautions:NPCA-HMIS RATING 3,2,0,H.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:VAPOR CARTRIDGE MASK OR AIR-SUPPLIED HOOD.

Ventilation:SUFFICIENT TO ENSURE LEL NOT ACHIEVED.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES

Other Protective Equipment:PROTECT SKIN WITH CLOTHING OR BARRIER CREAM.

Supplemental Safety and Health

PROLONGED EXPOSURE TO DUST FROM SANDING, GRINDING OR BLASTING MAY CAUSE
LUNG DISORDERS. USE APPROPRIATE PROTECTION DURING THESE OPERATIONS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:323 TO 390F

Vapor Density:>AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:43

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:CARBON DIOXIDE OR CARBON MONOXIDE ON
COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:AS PER LOCAL AND FEDERAL REGULATIONS

FOR
HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.