

EMERSON/CUMING SPECIALTY POLYMER FMLY GRACE W R CO -- EASTMAN 910 --  
8040-00-142-9193

===== Product Identification =====

Product ID:EASTMAN 910  
MSDS Date:05/22/1985  
FSC:8040  
NIIN:00-142-9193  
MSDS Number: BKHFG  
=== Responsible Party ===  
Company Name:EMERSON/CUMING SPECIALTY POLYMER FMLY GRACE W R CO  
Address:869 WASHINGTON ST  
City:CANTON  
State:MA  
ZIP:02021-2513  
Country:US  
Info Phone Num:800-225-9936  
Emergency Phone Num:800-225-9936  
CAGE:EO984  
=== Contractor Identification ===  
Company Name:EMERSON/CUMING SPECIALTY POLYMER FMLY GRACE W R CO  
Address:869 WASHINGTON ST  
City:CANTON  
State:MA  
ZIP:02021-2513  
Country:US  
Phone:800-225-9936  
CAGE:EO984  
Company Name:GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM  
Address:869 WASHINGTON ST  
City:CANTON  
State:MA  
ZIP:02021-2513  
Country:US  
Phone:617-935-4850  
CAGE:04552  
Company Name:LOCKHEED AERONAUTICAL SYSTEMS  
Address:2555 N HOLLYWOOD WAY  
Box:551  
City:BURBANK  
State:CA  
ZIP:91520-0001  
Country:US  
Phone:818-847-6121  
CAGE:

## ==== Composition/Information on Ingredients =====

Ingred Name:METHYL 2-CYANOACRYLATE TRICARBONYL, MN  
CAS:137-05-3  
RTECS #:AS7000000  
Fraction by Wt: 90%  
Other REC Limits:2 PPM  
ACGIH TLV:9.1 MG/CUM (-SKIN)

Ingred Name:MODIFYING AGENT  
Fraction by Wt: 10%

## ==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: VAPORS MAY BE IRRITATING  
TO EYES. EYES: CONTACT MAY RESULT IN BONDING OF EYELIDS. SKIN:  
CONTACT MAY RESULT IN BONDING TO SKIN. INGESTION: HARMFUL.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, BONDING OF EYELIDS/TO SKIN.

## ==== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER 15 MIN. SKIN: FLUSH W/WATER & AVOID  
EXCESSIVE FORCE TO REMOVE MATERIAL. INHALATION: REMOVE TO FRESH  
AIR. INGESTION: OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

## ==== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>174F  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:COOL CONTAINERS W/WATER. WEAR SELF-CONTAINED  
BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:CONTACT W/WATER WILL INITIATE  
POLYMERIZATION, W/RAPID RISE IN TEMP, POSSIBLE RUPTURING OF  
CONTAINER & AUTOIGNITION.

## ==== Accidental Release Measures =====

Spill Release Procedures:SMALL: WIPE UP/ABSORB W/VERMICULITE/OTHER  
ABSORBENT. USE W/ADEQUATE VENTILATION. COLLECT IN SEALED  
CONTAINERS. WASH AREA W/SOAPY WATER & RINSE. LARGE: TURN ON  
VENTILATION EQUIPMENT TO EVACUATE FUMES. DIKE AREA. SHOVEL/PUMP TO  
DRUM/SALVAGE TANK. (SUPP

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP FROM  
HEAT & OPEN FLAME. DON'T EXPOSE TO MOISTURE, IT WILL MAKE PRODU  
CT  
UNUSABLE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:USE W/ADEQUATE VENTILATION & FIRE PRECAUTIONS. AVOID  
INHALATION OF VAPORS & CONTACT W/SKIN & EYES. HANDLE AS COMBUSTIBLE  
MATERIAL.

===== Exposure Controls/Personal Protection =====

Ventilation:FLEXIBLE DUCTWORK SHOULD EXTEND TO AREAS OF HIGH  
CONCENTRATION TO PREVENT LOCAL BUILDUP OF VAPOR.

Protective Gloves:AS REQUIRED

Eye Protection:GOGGLES W/SIDE SHIELDS

Other Protective Equipment:PROTECTI  
VE CLOTHING

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>475F

Vapor Pres:1

Spec Gravity:1.1

Solubility in Water: