

TACC INTERNATIONAL CORPORATION -- LA-132 -- 8040-00-298-1946

===== Product Identification =====

Product ID:LA-132
MSDS Date:07/01/1989
FSC:8040
NIIN:00-298-1946
MSDS Number: BKHMP
=== Responsible Party ===
Company Name:TACC INTERNATIONAL CORPORATION
Box:390
City:ROCKLAND
State:MA
ZIP:02370
Info Phone Num:(617) 878-7015
Emergency Phone Num:(617) 878-7015
CAGE:0HZU1
=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP
Address:AIR STATION INDUSTRIAL PARK
Box:City:ROCKLAND
State:MA
ZIP:02370
Country:US
Phone:781-878-7015
CAGE:0HZU1

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 45-50%
Other REC Limits:590 MG/CUM
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ACETATE (SARA

III)
CAS:141-78-6
RTECS #:AH5425000
Fraction by Wt: 20-25%
Other REC Limits:400 PPM
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 7-10%
Other REC Limits:100 PPM
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Rep

orts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: HEADACHE, DIZZINESS,
NAUSEA, UPPER RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTAL
DEPRESSION, NARCOSIS, DIFFICULTY BREATHING. EYES: IRRITATION. SKIN:
REMOVAL OF SKIN OILS, IRRITATIO N, DERMATITIS, SENSITIZATION.
INGESTION: HARMFUL/FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, NAUSEA, UPPER
RESPIRATORY DRYNESS OR IRRITATION
, DROWSINESS, MENTAL DEPRESSION,
NARCOSIS, DIFFICULTY BREATHING. SKIN: REMOVAL OF SKIN OILS,
IRRITATION, DERMATITIS, SEN SITIZATION. EYES: IRRITATION.
INGESTION: HARMFUL/FATAL.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP &
WATER, APPLY A MILD SKIN CREAM. INGESTION: OBTAIN MEDICAL ATTENTION
IN ALL CASES.

===== Fire Fighting Measures =====

Flash P

oint Method:CC
Flash Point:21F
Lower Limits:1.8%
Upper Limits:11%
Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG
Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREA. WATER TENDS TO SPREAD BURNING LIQUID IF LARGE AMOUNTS USED.
Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE. VAPORS MAY IGNITE EXPLOSIVELY/CAUSE FLASH FIRES.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO AN APPROPRIATE ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:NO SMOKING. USE ADEQUATE CROSS VENTILATION SUFFICIENT TO REMOVE ODOR OF SOLVENT/VAPORS. ELECTRICALLY GROUND ALL CONTAINERS DURING TRANSFER.
Other Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE 60-95F OUT OF SUN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPORS EXCEED TLV, NIOSH APPROVED ORGANIC MASK.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP AIR
Spec Gravity:0.892
Evaporation Rate & Reference:(BU AC = 1):