View NSN Online: https://aerobasegroup.es/nsn/8040-00-515-2250

TACC INTERNATIONAL CORP. -- LA-132 -- 8040-00-515-2250

Product ID:LA-132

MSDS Date:07/01/1989

FSC:8040

NIIN:00-515-2250

MSDS Number: BKHNW === Responsible Party ===

Company Name: TACC INTERNATIONAL CORP. Address: AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA ZIP:02370 Country:US

Info Phone Num:617-878-7015

Emergency Phone Num:800-424-9300 CHEMTREC

CAGE :0HZU1

=== Contractor Identification ===

Company Name: TACC INTERNATIONAL CORP Address: AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA ZIP:02370 Country:US

Phone:781-878-7015

CAGE:0HZU1

======= Composition/Information on Ingredients ========

Ingred Name: METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: 45-50%

Other REC Limits:590 MG/CUM OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:500

0 LBS
Ingred Name:ETHYL ACETATE (SARA III) CAS:141-78-6 RTECS #:AH5425000 Fraction by Wt: 20-25% Other REC Limits:400 PPM OSHA PEL:400 PPM ACGIH TLV:400 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 7-10% Other REC Limits:100 PPM OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
Routes of Entry: Inh alation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: HEADACHE, DIZZINESS, NAUSEA, UPPER RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTA DEPRESSION, NARCOSIS, DIFFICUTLY BREATHING. EYES: IRRITATION. SKIN: REMOVAL OF SKIN OILS, IRRITATIO N, DERMATITIS, SENSITIZATION. INGESTION: HARMFUL/FATAL. Explanation of Carcinogenicity:NONE Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, NAUSEA, UPP ER RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTAL DEPRESSION, NARCOSIS, DIFFICULTY BREATHING. SKIN: REMOVAL OF SKIN OILS, IRRITATION, DERMATITIS, SEN SITIZATION. EYES: IRRITATION. INGESTION: HARMFUL/FATAL.
======================================
First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER, APPLY A MILD SKIN CREAM. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================

Measures ====================================
Flash Point Method:CC Flash Point:21F Lower Limits:1.8% Upper Limits:11% Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREA. WATER TENDS TO SPREAD BURNING LIQUID IF LARGE AMOUNTS USED. Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE. VAPORS MAY IGNITE EXPLOSIVELY/CAUSE FLASH FIRES.
========= Accidental Release Measures ==========
Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO AN APPROPRIATE ABSORBANT.
=========== Handling and Storage =============
Handling and Storage Precautions:NO SMOKING. USE ADEQUATE CROSS VENTILATION SUFFICIENT TO REMOVE ODOR OF SOLVENT/VAPORS. ELECTRICALLY GROUND ALL CONTAINERS DURING TRANSFER. Other Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE 60-95F OUT OF SUN.
====== Exposure Controls/Personal Protection ========
Respiratory Pr otection:IF VAPORS EXCEED TLV, NIOSH APPROVED ORGANIC MASK. Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP AIR Spec Gravity:0.892 Evaporation Rate & Description of the company of