NIIN:00-515-2487

MSDS Number: BKHNY === Responsible Party ===

Company Name: SEYMOUR OF SYCAMORE, INC

Address:917 CROSBY AVE

City:SYCAMORE

State:IL ZIP:60178

Info Phone Num:(815) 895-9101

Emergency Phone Num: (815) 895-9101

CAGE:59581

=== Contractor Identification ===

Company Name: SEYMOUR OF SYCAMORE

Address:917 CROSBY AVE.

Box:C

ity:SYCAMORE

State:IL

ZIP:60178-1343 Country:US

Phone:815-895-9101/800-255-3924

CAGE:59581

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL BENZENE (SARA III)

CAS:100-41-4

RTECS #:DA0700000 Fraction by Wt: 0.55% Other REC Limits:100 PPM OSHA PEL:100 PPM/125 STEL ACGIH TLV:100 PPM/125STEL 9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: HYDROTREATED LIGHT DISTILLATE, PETROLEUM; C12-C15

ISOPARAFFINIC HYDROCARBONS

CAS:64742-47-8 Fraction by Wt : 0.24%

Other REC Limits:300 PPM (MFR)

OSHA PEL:500 PPM ACGIH TLV:100 PPM

Ingred Name: DIBUTYL PHTHALATE (SARA III)

CAS:84-74-2

RTECS #:TI0875000 Fraction by Wt: 0.67%

Other REC Limits: 5 MG/CUM

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000 Fraction by Wt: 18.43%

OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 34.37% Other REC Limits:100 PPM OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: METHYL ISOBUTYL KETONE (SARA III)

CAS:108-10-1

RTECS #:SA9275000 Fraction by Wt: 4.50% Other REC Limits:50 PPM OSHA PEL:100 PPM/75 STEL ACGIH TLV:50 PPM/75 STEL; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000 Fraction by Wt: 0.20% Other REC Limits :STEL 400 PPM OSHA PEL:300 PPM/400 STEL ACGIH TLV:300 PPM; 9192

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000 Fraction by Wt: 0.94% Other REC Limits:100 PPM OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 0.12%

Other REC Limits:25 PPM (SKIN)

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX227500

0

Fraction by Wt: 18%

Other REC Limits: 1800 MG/CUM

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIANT; 9192

Ingred Name: ISOBUTANE, 2-METHYLPROPANE

CAS:75-28-5

RTECS #:TZ4300000 Fraction by Wt: 12%

Other REC Limits:1000 PPM OSHA PEL:1800 MG/CUM ACGIH TLV:1000 PPM

========= Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic: INHALATION: RESPIRATORY SYSTEM

/UPPER RESPIRATORY TRACT IRRITATION, HEADACHE, DIZZINESS, NAUSEA, UNCONSCIOUSNESS, ASPHYXIATION, WEAKNESS, NOSE/THROAT IRRITATION, NARCOSIS, HARMFUL. EYE: IRRITATION. SKI N: DEFATTING, IRRITATION, & DERMATITIS.INGESTION: GASTROINTESTINAL SYMPTOMS. Explanation of Carcinogenicity: METHYLENE CHLORIDE IS A CONSIDERED TO BE AN A2 CARCINOGEN. Effects of Overexposure: INHALATION: CARBOXYHEMOGLOBINEMIA, BLOOD IMPAIRMENT TO TRANSPORT OXYGEN, CENTRAL NERVOUS SYSTEM, LIVER, OR **KID** NEY EFFECTS, PERMANENT BRAIN, NERVOUS SYSTEM DAMAGE, CENTRAL NERVOUS SYSTEM DEPRESSION, HE MOLYSIS, & DEATH. EYE: IRRITATION. SKIN: DEFATTING, IRRITATION, & DERMATITIS. INGESTION: GASTROINTESTINAL SYMPTOMS. First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED. EYE: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL **CASE** S. Flash Point Method:TOC Flash Point:-10F Lower Limits:1.27% Extinguishing Media: USE CO2, DRY CHEMICAL OR FOAM. Fire Fighting Procedures: WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: WATER MAY BE USED TO COOL CONTAINERS

EXPOSED TO HEAT OR PROLONG EXPOSURE FROM THE SUN TO PREVENT BURSTING.

Accidental Release Measures ==============

======================================	
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. WIPE UP W/INERT MATERIALS & PLACE IN APPROPRIATE CONTAIN	IER.

Handling and Storage Precautions: DON'T STORE >120F. EXPOSURE TO HEAT OR PROLONG EXPOSURE TO SUN MAY CAUSE BURSTING. USE ONLY AS DIRECTED. USE W/ADEQUATE VENTILATION.

Other Precautions: AVOID BREATHING OF VAPORS OR SPRAY MIST, & CONTACT

W/EYES. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING VAPORS/INHALING CONTENTS CAN BE HARMFUL OR FATAL.

====== Exposure C	Controls/Personal Protection	=======================================
-------------------	------------------------------	---

Respiratory Protection:WEAR A SELF CONTAINED BREATHING APPARATUS FOR CONCENTRATIONS >TLV.

Ventilation:PROVIDE SUFFICIENT VENTILATION TO PREVENT INHALATION OF SOLVENT VAPORS.

Protective Gloves: AS REQURIED Eye Protection: AS REQUIRED Supplemental Safety and Health

Vapor Pres:40 PSIA
Vapor Density:>AIR
Evaporation Rate & Description and Odor:AEROSOL CONTAINER.
Percent Volatiles by Volume:85%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS & STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:HEAT, SPARKS, PILOT LIGHTS, OPEN FLAME,
SOURCES OF IGNITION, & TEMPS >120F.
Hazardous Decomposition Products:CO2, CO, HYDROGEN
CHLORIDE VAPOR &
TRACES OF PHOSGENE.

======= Disposal Considerations ===========

Waste Disposal Methods:DON'T INCINERATE AEROSOL CONTAINERS. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. DON'T PLACE AEROSOL CANS IN HOME COMPACTOR. DON'T PUNCTURE. DOT: CONSUMER COMMODITY ORMD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Un

ited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.