

SPRAYON PRODUCTS, DIV OF THE SHERWIN WILLIAMS CO. -- CORROSION PREVENTIVE
COMPOUND -- 8030-00-938-1947

===== Product Identification =====

Product ID:CORROSION PREVENTIVE COMPOUND

MSDS Date:06/01/1988

FSC:8030

NIIN:00-938-1947

MSDS Number: BKJSB

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS, DIV OF THE SHERWIN WILLIAMS CO.

Address:6830 COCHRAN ROAD

City:SOLON

State:OH

ZIP:44139

Country:US

Info Phone Num:216-292-7400

Emergency Phone Num:216-292-7400

CA

GE:DO662

=== Contractor Identification ===

Company Name:SPRAYON PRODUCTS; SHERWIN WILLIAMS

Address:26300 FARGO AVENUE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Phone:216-292-7400

CAGE:DO662

===== Composition/Information on Ingredients =====

Ingred Name:BARIUM COMPOUNDS (SARA 313)

Fraction by Wt: 20%

Other REC Limits:NONE SPECIFIED

Ingred Name:SOLTROL 220

CAS:64741-73-7

Fraction by Wt: 25%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:400

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOR

OETHANE (FREON 113) (SARA
III)
CAS:76-13-1
RTECS #:KJ4000000
Fraction by Wt: 45%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000PPM/1250STEL
ACGIH TLV:1000PPM/1250STEL9192
Ozone Depleting Chemical:1

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Fraction by Wt: 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5000 PPM
ACGIH TLV:5000PPM/30000STEL;93

===== Hazards Identification =====

Health Hazards Acute and Chronic:IN A CONFINED AREA, VAPORS IN HIGH
CONCENTRATION ARE ANESTHETIC. IRRITANT TO SKIN AND UPPER
RESPIRATORY SYSTEM. OVEREXPOSURE MAY RESULT IN LIGHT HEADEDNESS,
STAGGERING GAIT, GIDDINESS AND POSSIBLE NAU SEA. HARMFUL OR FATAL
IF SWALLOWED. REPORTS HAVE ASSOCIATED PROLONGED & REPEATED
OVEREXPOSURE TO SOLVENTS WITH
Effects of Overexposure:PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE, ALSO
KIDNEY AND LIVER DAMAGE.

===== First Aid Measures =====

First Aid:BREATHING: REMOVE PAT
IENT TO FRESH AIR. SKIN: WASH WITH SOAP
& WATER. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES.
SWALLOWING: CALL PHYSICIAN IMMEDIATELY, DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point:NONE
Fire Fighting Procedures:WATER MAY BE USED TO KEEP FIRE EXPOSED
CONTAINERS COOL.
Unusual Fire/Explosion Hazard:KEEP AT ROOM TEMPERATURE AS EXPOSURE TO
DIRECT HEAT OR SUNLIGHT MAY CAUSE BURSTING.

===== Accidental Release

Measures =====

Spill Release Procedures:VENTILATE AREA-ESPECIALLY IN LOW AREAS WHERE VAPORS WILL COLLECT. AVOID BREATHING VAPORS AND REMOVE WITH INERT ABSORBENT.

Neutralizing Agent:PRODUCT IS NEUTRAL.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120 F. KEEP AT ROOM TEMPERATURE AS EXPOSURE TO DIRECT SUNLIGHT OR HEAT MAY CAUSE BURSTING.

Other Precautions:KEEP AWAY FROM CHILDREN. DO NOT PUNCTURE OR INCINERATE. DO NOT SPRAY NEAR FIRE OR OPEN FLAME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID BREATHING OF SPRAY OR MIST OR WEAR A PROPERLY FITTED RESPIRATOR APPROVED FOR PROTECTION AGAINST MATERIALS IN PRODUCT.

Ventilation:LOCAL EXHAUST IN PATTERN & VOLUME TO KEEP TLV OF HAZARDOUS INGREDIENTS IN PRODUCT BELOW ACCEPTABLE LIMIT.

Protective Gloves:AS RECOMMENDED BY GLOVE SUPPLIER.

Eye Protection:GLASSES WITH UNPERFORATED SIDESHIELDS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:PROPELLANT

Melt/Freeze Pt:M.P/F.P Text: AIR

Evaporation Rate & Reference:FASTER THAN ETHER

Appearance and Odor:AEROSOL

Percent Volatiles by Volume:75

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:DO NOT STORE ABOVE 120 F.

Hazardous Decomposition Products:B

Y OPEN FLAME: NON FLAMMABLE. HOWEVER,
IF SPRAYED INTO OPEN FLAME, FUMES MAY CONTAIN TOXIC FUMES OF
CHLORIDES.

Conditions to Avoid Polymerization:FLUORIDES, HYDROGEN CHLORIDE AND
PHOSGENE GAS.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE-DISPOSE IN ACCORDANCE WITH
LOCAL, STATE AND FEDERAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies):

This information is fo
rmulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.