PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1440, PART A -- 8030-00-753-4599

Product ID:PR-1440, PART A MSDS Date:12/06/1989 FSC:8030 NIIN:00-753-4599 Kit Part:Y MSDS Number: BKMGG === Responsible Party === Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-240-2060 Emergency Phone Num:800-424-9300 CHEM/800-228-5635 ME D Preparer's Name:AS CAGE:DO563 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 Company Name: PRODUCTS RESEARCH & CHEMICAL Address:NOW DBA COURTAULDS AEROSPACE Box:1800 City:GLENDALE State:CA ZIP:91209 Phone:818-240-2060 CAGE:DO563

Ingred Name:MANGANESE DIOXIDE (

EXPOS LIM BASED ON AIRBORNE PARTICLES. IN THIS PRODUCT MAT'L IS FULLY ENCAPSULATED-NO AIRBORNE PART) CAS:1313-13-9 RTECS #:OP0350000 Fraction by Wt: 60% Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 STEL CEILING ACGIH TLV:5 MG/M3

Ingred Name:1,3 DIPHENYL GUANIDINE (DPG) CAS:102-06-7 RTECS #:MF0875000 Fraction by Wt: < 5% Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES/SKIN: IRRITATION. INHALATION: ALTHOUGH THE MAIN HAZARD OF MANGANESE COMPOUNDS IS BY BREATHING DUST, INGESTION SHOULD BE AVOIDED AS A PRECAUTION AGAINST MANGANESE POISONING. SYMPTOMS OF MANGANESE POISONING ARE WEAKNESS AND SLEEPINESS.

First Aid:EYES: FLUSH WITH LUKEWARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSIC

IAN. SKIN: WASH WITH SOAP AND WATER. IF

SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SY MPTOMS ARE PRESENT, CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

Flash Point:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion H

azard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MANGANESE DIOXIDE, RESULTING IN OXIDIZATION AND POSSIBLE IGNITION OF HYDROCARBON VEHICLE.
======================================
Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.
======================================
Ventilation:GENERAL VENTILATION Protective Gloves:SOLVENT RESISTANT GLOVES Eye Protection:SAFETY GLASSES Work Hygieni c Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
SMOKING OR EATING. AVOID INGESTION.
Supplemental Safety and Health KEY1:N1. THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PA RT 372 (SARA 313).
======================================
HCC:N1 Boiling Pt:B.P. Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravi ty:1.95 Evaporation Rate & amp; Reference:UNK Solubility in Water:NEGLIGIBLE
======================================
Stability Indicator/Materials to Avoid:YES EASILY OXIDIZABLE MATERIALS. Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN, MANGANESE COMPOUNDS.
======================================
Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA

Naste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.