FIBER-RESIN CORPORATION -- FR-1072 BASE COMPONENT -- 8030-00-878-8428 Product ID:FR-1072 BASE COMPONENT

MSDS Date:09/10/1990

FSC:8030

NIIN:00-878-8428

Kit Part:Y

MSDS Number: BKMGS === Responsible Party ===

Company Name: FIBER-RESIN CORPORATION

Address:170 W PROVIDENCIA AVENUE

City:BURBANK

State:CA ZIP:91503 Country:US

Emergency Phone Num:800-424-9300 Preparer's Name: SAM ENGEL, SR

CAGE:26348

=== Contractor Identification ===

C

ompany Name: FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA ZIP:91311 Country:US

Phone:818-882-3022

CAGE:26348

======= Composition/Information on Ingredients ========

Ingred Name: POLYSULFIDE POLYMER

CAS:68611-50-7

Fraction by Wt: 60-70%

Other REC Limits: NONE SPECIFIED

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: < 3%

Other REC Limits: NONE SPECIFIED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:

50 PPM; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000 Fraction by Wt: 20-30%

Other REC Limits: NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:KAOLIN

CAS:1332-58-7

RTECS #:GF1670500 Fraction by Wt: < 5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: < 5%

Other RE

C Limits:NONE SPECIFIED OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name: METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: < 1%

Other REC Limits: NONE SPECIFIED

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========= Hazards Identification ===============

Health Hazards Acute and Chronic: MODERATE IRRITANT TO EYES AND SKIN.

======= First Aid

| Measures ==================================== |
|--|
| First Aid:SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. CALL A PHYSICIAN. INHALE: REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. |
| ====================================== |
| Flash Point Method:TCC Flash Point:400F,204C Lower Limits:NA Upper Limits:NA Extinguishing Media:CO2, WATER SPRAY, DRY CHEMICAL OR FOAM Fire Fighting Procedures:WEAR SELF-CONTAIN ED BREATHING APPARATUS AND |
| FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE KNOWN |
| ========== Accidental Release Measures ========== |
| Spill Release Procedures:WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. RESIDUE MAY BE REMOVED WITH CHLORINATED OR AROMATIC SOLVENT. |
| =========== Handling and Storage ============= |
| Handling and Storage Precautions:STORE AT 77F OR BELOW. Other Precautions:MATERIAL IS RELATIVELY NONHAZARDOUS. |
| ====== Exposure Controls/Personal Protection ======= |
| Respiratory Protection:NOT NORMALLY REQUIRED. Ventilation:MECHANICAL VENTILATION. Protective Gloves:RUBBER GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:AFTER WASH-UP APPLY PROTECTIVE HAND CREAM. Supplemental Safety and Health |

KEY1:N1.

========= Physical/Chemical Properties ==========

HCC:N1

Boiling Pt:B.P. Text:>300F,>149C Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:>400F,>204

C Vapor Pres:NA

Vapor Density:1 Spec Gravity:1.5

pH:NA

Viscosity: 1 M CPS

Evaporation Rate & Dry Reference: NA

Solubility in Water: INSOLUBLE

Appearance and Odor: HEAVY, WHITE PASTE SLIGHT AROMATIC

Percent Volatiles by Volume:5

Corrosion Rate:NA

| ======================================= | Stability | and Reactivity | y Data | |
|---|-----------|----------------|--------|--|
|---|-----------|----------------|--------|--|

Stability Indicator/Materials to Avoid:YES
NONE KNOWN
Stability Condition to Avoid:AVOID CONTACT WITH STR

Stability Condition to Avoid:AVOID CONTACT WITH STRONG ACIDS OR BASES. Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON DIOXIDE

AND CARBON MONOXIDE.

| | Disposal Considerations | |
|--|---|--|
|--|---|--|

Waste Disposal Methods:MATERIAL CONTAINS NO RAW MATERIALS WITH KNOWN LEVELS OF TCLP CONSTITUENTS. INCINERATE OR DISPOSE OF IN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.