View NSN Online: https://aerobasegroup.es/nsn/8010-00-530-8370

GRAHAM PAINT AND VARNISH CO INC -- SURFACE FLOOR SEALER, WATER, EMULSION

8010-00-530-8370

Product ID:SURFACE FLOOR SEALER, WATER, EMULSION

MSDS Date:01/01/1987

FSC:8010

NIIN:00-530-8370

MSDS Number: BKPHZ === Responsible Party ===

Company Name: GRAHAM PAINT AND VARNISH CO INC

Address:4800 S RICHMOND AVE

City:CHICAGO

State:IL

ZIP:60632-2022

Country:US Info Phone

Num:312-376-7676 / FAX 312-376-9449 Emergency Phone Num:312-376-7676

CAGE:61945

=== Contractor Identification ===

Company Name: GRAHAM PAINT AND VARNISH CO INC

Address:4800 S RICHMOND AVE

Box:City:CHICAGO

State:IL

ZIP:60632-2022

Country:US

Phone:312-376-7676

CAGE:61945

======= Composition/Information on Ingredients ========

Ingred Name: NON-HAZARDOUS INGREDIENTS

Other REC Limits: NONE SPECIFIED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits: NONE SPECIFIED

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:EYES: CAN CAUSE MILD IRRITATION, REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN CAUSE MILD IRRITATION. SWALLOWING: CAN CAUSE GASTRONIMICAL IRRITATION.
======================================
First Aid:EYES: FLUSH WITH PLENTY OF WATER. SKIN: WASH WITH SOAP AND WATER, USE EMOLLIENT CREAM. SWALLOWING: INDUCE VOMITING AT ONCE, SEE PHYSICIAN. INHALATION: REMOVE TO FRESH AIR.
======================================
Flash Point:NA Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE, DRIED FILMS ARE CAPABLE OF BURNING.
========= Accidental Release Measures ==========
Spill Release Procedures:CONTAIN SPILL WITH INERT MATERIAL; TRANSFER LIQUID TO CONTAINERS FOR RECOVERY OR DISPOSAL; KEEP SPILL OUT O
F SEWERS OR OPEN BODIES OF WATER; FLOORS MAY BE SLIPPERY.
========== Handling and Storage ============
Handling and Storage Precautions:DO NOT FREEZE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. Protective Gloves:IMPERVIOUS TYPE. Eye Protection:SPLASHPROOF SAFETY GOGGLES. Other Protective Equipment:EYEWASH STATION. Supplemental Safety and Health
========= Phys

======= Hazards Identification ==========

HCC:N1
Boiling Pt:B.P. Text:212F,100C
Vapor Pres:17 (WATER)
Vapor Density:WATER
Spec Gravity:1.01-1.03
pH:*86.2
Evaporation Rate & Evaporation R
Solubility in Water:MISCIBLE
Percent Volatiles by Volume:85.8-*
Ctability and Departivity Data
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:OXIDES OF CARBON, TOXIC MONOMER FUMES
AND OXIDES OF NITROGEN.
======= Disposal
Considerations ==========
Waste Disposal Methods:INCINERATE OR LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

ical/Chemical Properties =========