

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- GEE-BEE H-66 C BRIGHTENER --  
6850-00-527-2426

===== Product Identification =====

Product ID:GEE-BEE H-66 C BRIGHTENER

MSDS Date:02/01/1990

FSC:6850

NIIN:00-527-2426

MSDS Number: BKRCG

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:213-803-4311 OR 213-861-1211

Emergency Phone Num:213-861-1211/CHEMTREC 800  
-424-9300

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

Company Name:SANCHEZ & ASSOCIATES

Address:476 WEST FOGG STREET

Box:1649

City:COLTON (MAY BE OUT OF BUSINESS !)

State:CA

ZIP:92324

Country:US

Phone:714-370-3921/FAX824-0341 ALL WRONG#

CAGE:0HF19

===== Composition/Information on Ingredients =====

Ingred Name:PHOSPHORIC A

CID (SARA III)  
CAS:7664-38-2  
RTECS #:TB6300000  
Fraction by Wt: < 5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1 MG/M3/3 STEL  
ACGIH TLV:1 MG/M3/3 STEL; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:HYDROGEN FLUORIDE (SARA III)  
CAS:7664-39-3  
RTECS #:MW7875000  
Fraction by Wt: < 2%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:3 PPM/6 STEL (F)  
ACGIH TLV:C 3 PPM (F); 9192  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

===== Hazards Identification =====

Routes of  
Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE-CORROSIVE TO  
EYES, SKIN AND MUCOUS MEMBRANES.  
Effects of Overexposure:SEE HEALTH HAZARDS SECTION.  
Medical Cond Aggravated by Exposure:NONE GIVEN.

===== First Aid Measures =====

First Aid:SEEK MEDICAL CARE IN ALL CASES.EYES:FLUSH WITH WATER FOR AT  
LEAST 15 MINUTES.SKIN:WASH WITH SOAP AND WATER.  
TREAT FOR  
HYDROFLUORIC ACID BURNS.INHALATION:REMOVE TO FRESH  
AIR.INGESTION:SEE A DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL  
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures: VENTILATE & EVACUATE AREA. USE PROTECTIVE CLOTHING & RESPIRATORS. TREAT WITH LIME AND FLUSH WITH WATER.  
Neutralizing Agent: LIME

===== Handling and Storage =====

Handling and Storage Precautions: STORAGE-STORE AT 32-90F. AVOID DAMAGE TO DRUM.

Other Precautions: AVOID BREATHING VAPORS OR MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE ONLY WITH ADEQUATE VENTILATION. IF NEEDED, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Ventilation: LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves: RUBBER

Eye Protection: CHEMICAL GOGGLES & FACE SHIELD

Other Protective Equipment: IMPERVIOUS APRON, BOOTS, PANTS, HOOD AND JACKET. EYE-WASH FACILITIES, SAFETY SHOWER.

Work Hygienic Practices: WASH THOROUGHLY AFTER EACH USE.

DO NOT EAT,

DRINK, OR SMOKE WHILE WORKING WITH THIS MATERIAL.

Supplemental Safety and Health

FORMULATION CHANGED. FOR PREVIOUS FORMULATION, SEE P/N A, FOCAL POINT F, THE SAME NSN.

===== Physical/Chemical Properties =====

HCC: C1

Boiling Pt: B.P. Text: 200F, 93C

Vapor Pres: LIKE WATER

Vapor Density: LIKE WATER

Spec Gravity: 1.01

pH: