CROWN INDUSTRIAL PRODUCTS CO -- FAULT FINDER CLEANER GROUP 1 #1071,PART B -- 6850-00-142-8840

Product ID:FAULT FINDER CLEANER GROUP 1 #1071,PART B

MSDS Date:04/17/1989

FSC:6850

NIIN:00-142-8840

Kit Part:Y

MSDS Number: BKSHL === Responsible Party ===

Company Name: CROWN INDUSTRIAL PRODUCTS CO

Address: HWY 47 N

Box:350

City:HEBRON

State:IL ZIP:60034 Country:US

Info Phone Num:800-766-7655

Emergency Phone Num:800-766-7655

Preparer'

s Name: ROBERT E. BAYTON, LAB SUPV

CAGE:92381

=== Contractor Identification ===

Company Name: CROWN INDUSTRIAL PRODUCTS CO

Address: HWY 47 N

Box:350

City:HEBRON

State:IL ZIP:60034 Country:US

Phone:815-648-2424

CAGE:92381

======= Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000 Fraction by Wt: 51-70%

Other REC Limits:NONE SPECIFIED OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: HYDROCARBON PRO

PELLANT CAS:68476-86-8 Fraction by Wt: 11-30% Other REC Limits:NONE SPECIFIED OSHA PEL:900 PPM ACGIH TLV:900 PPM
======================================
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MILD IRRITATION TO BODY TISSUES. CENTRAL NERVOUS SYSTEM DEPRESSION. CHRONIC: PROLONGED EXPOSURE MAY RESULT IN KIDNEY AND LIVER DAMAGE. Effects of Overexposure:E
YES: MODERATELY IRRITATING. SKIN: MILDLY IRRITATING. INHALATION: MILD IRRITATION TO NOSE, THROAT AND RESPIRATORY TRACT. MAY RESULT IN CENTRAL NERVOUS SYSTEM DEPRESSION. INGESTION: NONE NOTED BY MANUF ACTURER.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF EYES, RESPIRATORY OR SKIN ALLERGIC CONDITIONS MAY BE AT INCREASED RISK.
======================================
First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.IF IRRITA TION PERSISTS SEE DOCTOR. SKIN:WASH WITH SOAP AND WATER.IF IRRITATION PERSISTS.SEE DOCTOR. INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEE DED,SEE DOCTOR. INGESTION: DO NOT INDUCE VOMITING. DRINK PLENTY OF WATER. SEE DOCTOR.
======================================
Flash Point:FLAMMABLE AEROSL Lower Limits:1.8 Upper Limits:9.5 Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIP MENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: CONTENTS UNDER PRESSURE. CONTAINER MAY

EXPLODE ON HEAT OF FIRE.

======== Accidental Release Measures ===========

Spill Release Procedures: REMOVE IGNITION SOURCES. EVACUATE PERSONNEL. VENTILATE. WEAR RESPIRATOR AND PROTECTIVE CLOTHING. ABSORB IN INERT MATERIAL AND PLACE IN APPROPIATE DISPOSAL CONTAINER.WASH Α

REA WITH SOAP AND WATER.
======================================
Handling and Storage Precautions:DO NOT STORE IN DIRECT SUNLIGHT, NEAR OPEN FLAMES, OR AT TEMPERATURES EXCEEDING 120F. DO NOT SMOKE WHILE SPRAYING.
Other Precautions:USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING VAPORS AND INHALING CONTENTS CAN BE HARMFUL OR FATAL.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH /MSHA-APPROVED RESPIRATOR APPROPIATE FOR EXPOSURE OF CONCERN IF TLV IS EXCEEDED. Ventilation:LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV. Protective Gloves:POLYETHYLENE OR NEOPRENE. Eye Protection:SAFETY GLASSES. Other Protective Equipment:PROTECTIVE CLOTHING AND EQUIPMENT AS REQUIRED TO PREVENT PROLONGED CONTACT. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health KEY1:F1. THIS IS PART B OF A 3-PART PROD UCT. FOR OTHER PARTS, SEE PNI A AND C, SAME NSN.
======================================
HCC:V3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:174F,79C Vapor Pres:45 PSIG Vapor Density:>1 Spec Gravity: