

CHEMSCOPE CORPORATION -- GLASS CLEANER (LIQUID) -- 7930-00-184-9423

===== Product Identification =====

Product ID:GLASS CLEANER (LIQUID)

MSDS Date:08/08/1990

FSC:7930

NIIN:00-184-9423

MSDS Number: BKSJN

=== Responsible Party ===

Company Name:CHEMSCOPE CORPORATION

Address:3200 E RANDOL MILL RD

City:ARLINGTON

State:TX

ZIP:76011-6838

Country:US

Info Phone Num:817-640-5653 8 TO 5, MON THRU FRI

Emergen

cy Phone Num:817-640-5653 8 TO 5, MON THRU FRI

Preparer's Name:CLIFTON R. DUKE

CAGE:DO131

=== Contractor Identification ===

Company Name:CHEMSCOPE CORP

Address:3200 E RANDOL MILL RD

Box:City:ARLINGTON

State:TX

ZIP:76011-6838

Country:US

CAGE:53984

Company Name:CHEMSCOPE CORPORATION

Address:3200 E. RANDOL MILL ROAD

City:ARLINGTON

State:TX

ZIP:76011

Phone:817-640-5653

CAGE:DO131

===== Composition/Information on Ingredients =====

Ingred Name:AMMONIUM HYDROXIDE (SARA III)

CAS:1336

-21-6
RTECS #:BQ9625000
Fraction by Wt: 1%
Other REC Limits:NONE SPECIFIED
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 2%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 2%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:NO HAZARDOUS INGREDIENTS
Fraction
by Wt: 95%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:THIS PRODUCT CONTAINS NO PRODUCT THAT
WILL BE CARCINOGENIC.
Effects of Overexposure:EYE CONTACT:MAY CAUSE MILD IRRITATION. SKIN
CONTACT:PROLONGED OR REPEATED CONTACT MAY CAUSE DRYNESS OR MILD
IRRITATION. INGESTION:MAY CAUSE NAUSEA & ABDOMINAL PAIN. &
INHALATION: NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. SKIN CONTACT:
WASH SKIN WITH SOAP & WATER. INGESTION: GIVE SEVERAL GLASSES OF
WATER. GET MEDICAL ATTENTION A.S.A.P.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:122 F/50 C
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE (CO2), FOAM.
Fire Fighting Procedures:FIREFIGHTERS:WEAR SELF-CONTAINED BREATHING
APPARATUS

. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:MOP OR WIPE UP WITH WATER.
Neutralizing Agent:VINEGAR

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL AREA. STORE WITH LID ON
CONTAINER TO AVOID EVAPORATION.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED
Ventilation:NONE REQUIRED-USE NORMAL VENTILATION
Protective Gloves:RUBBER
Eye Protection:SPLASH GOGGLES
Other Protective Equipment:APRON
Work Hygienic Practices:WASH HANDS BEFORE EATING & SMOKING. DO NOT USE
AROUND FOOD STUFFS.
Supplemental Safety and Health
COMPOUNDED PRODUCT

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:212F,100C
Melt/Freeze Pt:M.
P/F.P Text:32.0F,0.0C
Vapor Density:1 @ 68F
Spec Gravity:0.99
pH:10
Evaporation Rate & Reference:1 (BUTYL ACETATE=1)
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR LIQUID WITH MILD ODOR.
Percent Volatiles by Volume:95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
CHLORINATED SOLVENTS & STRONG ACIDS.
Stability Condition to Avoid:HIGH HEAT
Hazardous Decomposition Products:SMALL AMOUNTS OF CARBON OXIDES.

=====

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL, STATE OR FEDERAL DISPOSAL
AUTHORITIES FOR APPROVED DISPOSAL PROCEDURES. EMPTY CONTAINERS CAN
BE THROWN IN TRASH.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclai

ms all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.