

MINE SAFETY APPLIANCES CO -- CALIBRATION CHECK GAS P/N 467898 -- 6830-01-331-9024
===== Product Identification =====

Product ID:CALIBRATION CHECK GAS P/N 467898

MSDS Date:11/01/1995

FSC:6830

NIIN:01-331-9024

MSDS Number: BKSZN

=== Responsible Party ===

Company Name:MINE SAFETY APPLIANCES CO

Address:3880 MEADOWBROOK RD

Box:426

City:MURRYSVILLE

State:PA

ZIP:15668-1753

Country:US

Info Phone Num:412-9

67-3000

Emergency Phone Num:412-325-1313

Preparer's Name:NONE

CAGE:55799

=== Contractor Identification ===

Company Name:MINE SAFETY APPLIANCES CO DBA MSA

Address:3880 MEADOWBROOK RD

Box:City:MURRYSVILLE

State:PA

ZIP:15668-1753

Country:US

Phone:724-733-9272

CAGE:55799

Company Name:MINE SAFETY APPLIANCES CO; INSTRUMENT DIV

Address:1000 CRANBERRY WOODS DR

Box:City:CRAMBERRY TWP

State:PA

ZIP:16066-5296

Country:US

Phone:724-733-9270

CAGE:1CS58

===== Composition/Information on Ingredients =

=====

Ingred Name:HYDROGEN SULFIDE (SARA 302/313) (CERCLA)

CAS:7783-06-4

RTECS #:MX1225000

Fraction by Wt: 0.001%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:C, 20 PPM

ACGIH TLV:10 PPM/15 STEL; 9596

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:NITROGEN

CAS:7727-37-9

RTECS #:QW9700000

Fraction by Wt: 0.999%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:ASPHYXIAN; 9596

===== Hazards Identification =====

LD50 LC50 Mixture:LCLO: 800 PPM/5 MINUTES

Rou

tes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NO EFFECTS KNOWN BELOW 10 PPM

H2S. NITROGEN IS AN ASPHYXIAN. HYDROGEN SULFIDE IS AN IRRITANT TO THE EYES AND RESPIRATORY TRACT. CHRONIC: NONE KNOWN.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYES: IRRITATION. INHALATION: RESPIRATORY TRACT IRRITATION, ASPHYXIATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. INHALATION: MOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:4.0% H2S

Upper Limits:44.0% H2S

Extinguishing Media:NONFLAM

MABLE. USE MEDIA SUITABLE FOR SURROUNDING
FIRE.

Fire Fighting Procedures:NONFLAMMABLE. USE PROCEDURES SUITABLE FOR
SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:GAS UNDER PRESSURE, 500 PSIG AT 70F. DO
NOT EXCEED 130F. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING GAS. WEAR
PROPER PERSONAL PROTECTIVE EQUIPMENT. STOP LEAK IF CAN DO SO
WITHOUT RISK.

COLLECT FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH
ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH
TEMPERATURES. AVOID BREATHING GAS.

Other Precautions:FOLLOW THE CALIBRATION PROCEDURE DETAILED IN THE MSA
INSTRUCTION MANUAL PROVIDED WITH THE INSTRUMENT UNDER CALIBRATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE
LEVELS.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

DO NOT PUNCTURE OR INCINERATE CYLINDER.

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:1

Spec Gravity:NOT GIVEN

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS, MALODOROUS GAS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:PHYSICAL DAMAGE TO CYLINDER, TEMPER

ATURES

ABOVE 130F.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.