

WITCO CORP -- VV-P-236A -- 9150-00-250-0933

===== Product Identification =====

Product ID:VV-P-236A  
MSDS Date:06/09/1990  
FSC:9150  
NIIN:00-250-0933  
MSDS Number: BLJGR  
=== Responsible Party ===  
Company Name:WITCO CORP  
Box:84075  
City:DALLAS  
State:TX  
ZIP:75284-0075  
Country:US  
Info Phone Num:504-738-1623  
Emergency Phone Num:504-738-1623  
CAGE:WITCO

=== Contractor Identification ===

Company Name:UNI-KEM  
INTERNATIONAL  
Address:1001 HARIMAW COURT EAST  
Box:City:METAIRIE  
State:LA  
ZIP:70001  
Country:US  
Phone:504-835-7600/FAX:504-835-7608  
CAGE:4S446  
Company Name:WITCO CORP  
Address:2701 LAKE STREET  
Box:5446  
City:DALLAS  
State:TX  
ZIP:75284-0075  
Country:US  
Phone:504-738-1623  
CAGE:WITCO

===== Composition/Information on Ingredients =====

Ingred Name:GREASE, PETROLEUM  
CAS:8009-03-8  
Other REC Limits: 5 MG/M3 OIL MIST

===== Hazards Identification =====

Ro

utes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Health Hazards Acute and Chronic:PER MANUFACTURER THE PRODUCT IS  
NON-HAZARDOUS. EYE CONTACT MAY CAUSE REDNESS AND IRRITATION. SKIN  
CONTACT:DEFATING/SLIGHT IRRITATION.  
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure:IRRITATION OF AND REDNESS OF EYE., SKIN  
IRRITATION.  
Medical Cond Aggravated by Exposure:NONE KNOWN TO MFR.

===== First Aid Measures =====

First  
Aid:EYES:FLUSH IMMEDIATELY WITH COLD WATER, CALL A PHYSICIAN.  
SKIN CONTACT:FOR MOLTEN PETROLATUM, FLUSH IMMEDIATELY WITH COLD  
WATER, CALL A PHYSICIAN. FOR SOLIDIFIED PETROLATUM REMOVE EXCESS  
WITH PAPER TO WELS, WASH WITH SOAP AND WATER. INHALATION:NDA.  
INGESTION:CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>400F,>204C  
Lower Limits:NDA  
Upper Limits:NDA  
Extinguishing Media:DRY CHEMICAL, CO2, FOAM, WATER  
FOG OR SAND/EARTH.  
Fire Fighting Procedures:WATER SPRAY IS AN UNSUITABLE EXTINGUISHING  
AGENT. FIRE FIGHTERS SHOULD USE SELF-CONTAINED BREATHING APPARATUS  
TO PROTECT AGAINST SMOKE INHALATION.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF LEAK AND DIKE UP LARGE SPILLS, AFTER  
COOLING AND SOLIDIFICATION, SCRAPE AND/OR SHOVEL UP MATERIAL.  
FINALLY, CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.  
Neu  
tralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAME, HEAT (200  
DEGREES F MAX) AND STRONG OXIDIZING AGENTS. AVOID SKIN AND EYE  
CONTACT.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALL REQUIRED  
Protective Gloves:WEAR IMPERVIOUS GLOVES.  
Eye Protection:WEAR A FACE SHIELD OVER SAFETY GOGGLES  
Oth

er Protective Equipment:WEAR OVERALLS  
Work Hygienic Practices:READ ALL LABELS CAREFULLY BEFORE USING.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:NDA  
Melt/Freeze Pt:M.P/F.P Text:110F,43C  
Vapor Pres:NDA  
Vapor Density:NDA  
Spec Gravity:NDA  
Evaporation Rate & Reference:NDA  
Solubility in Water:NIL  
Appearance and Odor:SEMI-SOLID, OIL LIKE, OPAQUE COLOR: YELLOW OR  
BROWN.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STONG OXIDIZINING AGENTS  
Stability Condition to Avoid:OPEN FLAMES  
Hazardous Decomposition Products:XIDES OF CARBON, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated  
for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.