Product ID:MAGNETIC MIST ALIPHATIC SOLVENT MSDS Date:12/14/1990 FSC:7930 NIIN:00-582-4195 **MSDS Number: BLJJK** === Responsible Party === Company Name: SCHNEID I INC DBA SAN-MAR LABORATORIES Box:93188 **City:ATLANTA** State:GA ZIP:30337-0188 Country:US Info Phone Num:404-351-4705 Emergency Phone Num:404-351-4705 CAGE:0C5M3 === Contractor Ide ntification === Company Name: SCHNEID I INC DBA SAN-MAR LABORATORIES Address:1429 FAIRMONT AVE NW Box:93188 City:ATLANTA State:GA ZIP:30381-0188 Country:US CAGE:0C5M3

Ingred Name:ALIPHATIC HYDROCARBONS Fraction by Wt: 95% Other REC Limits:NONE SPECIFIED ACGIH TLV:200 PPM

Ingred Name:INERTS Fraction by Wt: 5% Other REC Limits:NONE SPECIFIED ACGIH TLV:>1000 PPM

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Health Hazards Acute and Chronic:REDDENING OF SKIN OR EYES; DROWSINESS.

First Aid:INGEST: DO NOT INDUCE VOMIT, KEEP WARM, QUIET. CALL DR OR LOCAL POISON CONTROL CTR IMMED. EYES: FLUSH W/LOW PRESS, LUKEWARM WATER-15 MIN-LIFT UPPER/LOWER EYELIDS. IF IRRIT PERSISTS, GET MEDICAL AID. S KIN: THOROUGHLY WASH EXPOSED AREA W/SOAP & WATER. REMOVE CONTAM CLOTH. L

AUNDER BEFORE REUSE. INHALE: REMOVE TO FRESH AIR. GIVE OXYGEN W/DIFFICULT BREATHING; STOPPED-CPR. KEEP WARM, QUIET. GET MED AID.

Flash Point Method:CC Flash Point:265F,129C Lower Limits:1.2 Upper Limits:6.2 Extinguishing Media:DRY CHEMICAL, FOAM, CO2. Fire Fighting Procedures:AVOID THE USE OF WATER AS IT WILL SPREAD THE FLAME. Unusual Fire/Explosion Hazard:VAPORS AND FUMES ARE COMBUSTIBLE.

==

Spill Release Procedures:SMALL: WIPE UP PRODUCT, RINSE SOILED AREA W/WATER DOWN THE DRAIN. LARGE: STOP LEAK AT THE SOURCE AND COLLECT INTO A SUITABLE CONTAINER, THEN TREAT AS A SMALL SPILL.

Handling and Storage Precautions: ALWAYS STORE UNUSED PORTION IN ORIGINAL CONTAINER WITH CAP SECURE. HANDLE AS A COMBUSTIBLE LIQUID. VAPORS CAN IGNITE. AVOID TEMPERATURE EXTREMES.

Other Precautions: AS WITH ALL CHEMICALS, USE WITH DUE CARE ACCORDING TO LABEL INSTRUCTIONS AND PRECAUTIONS.

Respiratory Protection: GENERAL PURPOSE ORGANIC CANISTER FOR CONFINED AREA.

Ventilation:MECHANICAL, (GENERAL).

Protective Gloves: RUBBER, NEOPRENE.

Eye Protection: SAFETY GLASSES WITH SPLASH SHIELDS.

Other Protective Equipment:NONE REQUIRED.

Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:650F,343C Vapor Pres:0.04 MM HG Vapor Density:8.8 Spec Gravity:0.816 Evaporation Rate & amp; Reference:>200 (ETHYL ETHER = 1) Solubility in Water:INSOLUBLE Appearance and Odor:LIGHT YELLOW, CLEAR LIQUID WITH BANANA ODOR. Percent Volatiles by Volume:91

Stability Indicator/Materials to Avoid:YES

Waste Disp

osal Methods:FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-RECLAIMABLE SPILLS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to ver ify and

assume responsibility for the suitability of this information to their particular situation.