

N/P -- 579.60 PLASTIC SEALER -- 8030-00-683-9014
Product ID:579.60 PLASTIC SEALER
MSDS Date:01/01/1987
FSC:8030
NIIN:00-683-9014
MSDS Number: BLJJT
=== Responsible Party ===
CAGE:77464
=== Contractor Identification ===
Company Name:INMONT CORP
Address:3738 CHOUTEAU AVE
Box:City:ST LOUIS
State:MO
ZIP:63110-2546
Country:US
CAGE:77464

===== Composition/Information on Ingredients =====

Ingred Name:POLYISOBUTYLENE
CAS:9003-27-4
RTECS #:UD1010000
Fraction by Wt: 20-60%
Other REC L
imits:NONE SPECIFIED

Ingred Name:CALCIUM CARBONATE
CAS:471-34-1
RTECS #:FF9335000
Fraction by Wt: 20-60%
Other REC Limits:10 MG/M3

Ingred Name:TALC (CONTAINING NO ASBESTOS)
CAS:14807-96-6
RTECS #:WW2710000
Fraction by Wt: 10-30%
Other REC Limits:2 MG/M3
OSHA PEL:2 MG/M3 RDUST
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:PIGMENTS
CAS:9003-27-4
RTECS #:UD1010000
Fraction by Wt: TRACE
Other REC Limits:NONE SPECIFIED

Ingred Name:OCTADECANOIC ACID, ALUMINUM SALT
CAS:637-12-7
RTECS #:WI2820000
Fracti

on by Wt: 1-5%
Other REC Limits:10 MG/M3

Ingred Name:CELLULOSE (PAPER FIBER)
CAS:9004-34-6
RTECS #:FJ5691460
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9192

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:NO SIGNIFICANT SIGNS OF ANY ADVERSE HEALTH
HAZARDS ARE EXPECTED TO OCCUR AS A RESULT OF INHALATION EXPOSURE OR
SKIN CONTACT. EYES AN
D SKIN CONTACT: LOW HAZARDS.

===== First Aid Measures =====

First Aid:EYE CONTACT: TAKE OUT AS WITH ANY OTHER FOREIGN OBJECT. WASH
WITH PLENTY OF WATER FOR AT LEAST 10 MINUTES. IF ANY SYMPTOMS ARE
PRESENT AFTER WASHING, GET MEDICAL ATTENTION.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER SPILLED MATERIAL AND PLACE IN A PROPER
CONTAINER FOR REUSE OR DISPOSAL.

===== Handli
ng and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. ROTATE
STOCK.
Other Precautions:FOR INDUSTRIAL USE ONLY. DO NOT BREATHE
DECOMPOSITION PRODUCTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. SELF-CONTAINED BREATHING
APPARATUS REQUIRED IF EXPOSURE TO DECOMPOSITION PRODUCTS IS LIKELY.
Ventilation:GENERAL DILUTION VENTILATION--9000 CFM DILUTION AIR.
Protective Glove

s:IMPERVIOUS GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH AND SAFETY SHOWERS SHOULD BE NEARBY.

Supplemental Safety and Health

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, HYDROCARBONS AND SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MATERIAL CAN BE DISPOSED OF IN AN APPROVED LANDFILL OR MAY BE INCINERATED UNDER CONDITIONS WHICH MEET FEDERAL, STATE & LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.