

N/P -- SEALING COMPOUND, GASKET -- 8030-00-656-1426  
Product ID:SEALING COMPOUND, GASKET  
MSDS Date:01/01/1987  
FSC:8030  
NIIN:00-656-1426  
MSDS Number: BLJWG  
=== Responsible Party ===  
CAGE:34094  
=== Contractor Identification ===  
Company Name:BAKER SEALANTS AND COATINGS CO  
Address:234 SUYDAM AVE  
Box:City:JERSEY CITY  
State:NJ  
ZIP:07304-3306  
Country:US  
Phone:201-333-6986  
CAGE:34094

=====  
===== Composition/Information on Ingredients =====  
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)  
CAS:67-6  
3-0  
RTECS #:NT8050000  
Fraction by Wt: 20.9%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:CASTOR OIL  
CAS:68187-84-8  
Fraction by Wt: 36.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:ROSIN DER  
CAS:8050-09-7  
Fraction by Wt: 22.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA  
CAS:112945-52-5  
RTECS #:VV7310000  
Fraction by Wt: 15.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:LECITHIN  
CAS:8002-43-5  
Fraction by Wt: 1.0%  
Other REC Limits:N

ONE SPECIFIED

Ingred Name:VOC: 250

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:EYES: SEVERE IRRIT, REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED/REPEATED--IRRIT, DEFATTING, DERMATITIS. INHALATION: (VAPORS) NASAL & RESP IRRIT, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS & ASPHYXIATION. INGESTION: CAN

CAUSE GASTROINTESTINAL IRRIT, NAUSEA, VOMITING & DIARRHEA.

Medical Cond Aggravated by Exposure:IPA OR ITS COMPONENTS HAS APPARENTLY BEEN FOUND TO CAUSE THE FOLLOWING EFFECTS IN LAB ANIMALS: LIVER ABNORMALITIES, KIDNEY DAMAGE. OVER EXPOSURE IN HUMANS: KIDNEY DAMAGE.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH W/LRG AMTS--WATER, LIFTING UPPER & LOWER LIDS OCCASIONALLY, GET MED AID. SKIN: THOROUGHLY WASH W/SOAP & WATER. INHALA

TION: REMOVE TO FRESH AIR. DIFFICULT BREATHING, GIVE OXYGEN. NO BREATH, GIVE ARTIF RESPIRATION. KEEP WARM, QUIET. GET MED AID. INGESTION: IMMEDIATELY DRINK 2 GLASSES--WATER. INDUCE VOMIT (IPECAC/FINGER AT BACK THROAT). NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS. GET MED AID.

=====  
===== Fire Fighting Measures =====

Autoignition Temp:Autoignition Temp Text:750 F

=====  
===== Accidental Release Measures =====

Spill Release Procedures:

LARGE SPILLS: CALL EPA. KEEP AWAY FROM OPEN FLAMES. SMALL SPILLS: KEEP AWAY FROM OPEN FLAMES. REPORTABLE QUANTITY: NONE KNOWN.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT AND OPEN FLAMES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR PACK OR ORGANIC CANNISTER.

Ventilation:LOCAL EXHAUST.

Protective Gloves:SOLVENT-RESISTANT RUBBER.

Eye Protection:CHEMICAL GOGGLE

S.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Viscosity:30-680 POISES

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:MAY GENERATE CARBON MONOXIDE WHEN BURNED.

Conditions to Avoid Polymerization:OPEN FLAME, AND HEAT.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer

(provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.