FENWAL INC 39-80055-044 PART B 8040-00-776-9603 ====================================
Product ID:39-80055-044 PART B MSDS Date:05/01/1985 FSC:8040 NIIN:00-776-9603 Kit Part:Y
MSDS Number: BLJWV === Responsible Party === Company Name:FENWAL INC. Address:400 MAIN ST City:ASHLAND State:MA
ZIP:01721 Country:US Info Phone Num:617-881-2000 Emergency Phone Num:617-881-2000 CAGE:0KDPZ === Contractor Identification ===
Company Name:FENWAL INC. Address:400 MAIN ST C ity:ASHLAND State:MA
ZIP:01721 Country:US Phone:617-881-2000 CAGE:0KDPZ
======= Composition/Information on Ingredients ========= Ingred Name:NON-HAZARDOUS INGREDIENTS
Other REC Limits:NONE SPECIFIED
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Health Hazards Acute and Chronic:MAY CAUSE INJURY TO SKIN FOLLOWING PROLONGED OR REPEATED CONTACT AND MAY CAUSE SKIN SENSITIZATION OR OTHER ALLERGIC RESPO

======================================
First Aid:AVOID INHALATION OF VAPOR. USE GOOD VENTILATION, PARTICULARLY IF HEATED OR SPRAYED. PREVENT CONTACT WITH SKIN. IF CONTACT OCCURS, WASH IMMEDIATELY WITH SOAP AND WATER. IF IRRITATION OCCURS, REMOVE IND IVIDUAL FROM FURTHER CONTACT WITH MATERIAL.
============ Fire Fighting Measures =============
Flash Point:180F,82C Extinguishing Media:CO2, DRY CHEMICAL, FOAM. Fire F ighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED WITH NONFLAMMABLE SOLVENT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation:LOCAL & MECHANICAL EXHAUST. Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:SP LASH-PROOF GOGGLES. Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
Spec Gravity:1.01 Appearance and Odor:CLEAR LIQUID
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES EPOXY RESINS UNDER UNCONTROLLED CONDITIONS, STRONG ACIDS.

NSES. SPI CLASS 3.

Stability Indicator/Materials to Avoid:YES
EPOXY RESINS UNDER UNCONTROLLED CONDITIONS, STRONG ACIDS.
Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER LONG PERIODS OF TIM

E.
Hazardous Decomposition Products: TOXIC FUMES AT DECOMPOSITION
TEMPERATURES.
•

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants thi s information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.