View NSN Online: https://aerobasegroup.es/nsn/1650-01-155-0176

Product ID:NITROGEN MSDS Date:06/01/1989 FSC:1650 NIIN:01-155-0176 **MSDS Number: BLLXR** === Responsible Party === Company Name: ANSUL FIRE PROTECTION, WORMALD U.S.INC. Address: ONE STANTON STREET **City:MARINETTE** State:WI ZIP:54143-2542 Country:US Info Phone Num:715-735-7411 **Emergency Phone Num:715** -735-7411 CAGE:03670 === Contractor Identification === **Company Name: ANSUL INC** Address: ONE STANTON STREET Box:City:MARINETTE State:WI ZIP:54143-2542 Country:US Phone:715-735-7411 CAGE:03670 Company Name: HAYNES ENTERPRISE Address:1930-B W CARDINAL DRIVE Box:4134 City:BEAUMONT State:TX ZIP:77705 Country:US Phone:409-842-5709 CAGE:1GF04

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 Fraction by Wt: 100% Other REC Limits:NON LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT APPLICABLE.
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: DIZZINESS, HEADACHES, TINNITUS, DIFFICULTY BREATHING, DROWSINESS, DEPENDING ON LENGTH OF EXPOSURE AND CONCENTRATIONS. CHRONIC: COMPRESSED AIR ILLNESS.
Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP OR OSHA AS
A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN.
Effects of Overexposure:ACUTE: DIZZINESS, HEADACHES, TINNITUS, DIFFICULTY BREATHING, DROWSINESS, DEPENDING ON LENGTH OF EXPOSURE AND CONCENTRATIONS. CHRONIC: COMPRESSED AIR ILLNESS.

Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING LIDS OPEN. IF REDNESS, ITCHING OR A BURNING

SENSATION DEVELOPS, GET MEDICAL ATTENTION. SKIN & EYES: TREAT FOR FROSTBIT E IF NECESSARY. INHALATION: REMOVE VICTIM TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF RESPIRATORY SYMPTOMS OCCUR, GET MEDICAL ATTENTION.

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Fire Fighting Procedures:THOUGH GAS CYLINDERS ARE EQUIPPED WITH PRESSURE AND TEMPERATURE RELIEF DEVICES, THEY SHOULD BE REMOVED FROM HIGH TEMPERATURES OR FIRE TO AVOID RISK OF RUPTURE. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: VENTILATE TO OUTSIDE. Neutralizing Agent: NOT APPLICABLE.

Handling and Storage Precautions:STORE CONTAINERS IN A CLEAN, DRY WELL-VENTILATED AREA, AWAY FROM HEAT ABOVE 125F. STORE A S A COMPRESSED GAS. Other Precautions:DO NOT DEFACE CYLINDERS OR LABELS.

Respiratory Protection:NOT NORMALLY NECESSARY IF CONTROLS ARE ADEQUATE. IF EXPOSURE IS PROLONGED, A SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED. Ventilation:LOCAL EXHAUST IS RECOMMENDED IN CONFINED SPACES. Protective Gloves:FOR CONTACT WITH LIQUID. Eye Protection:CHEMICAL GOGGLES & FACE SHIELD IF REQ'D. Other Protective Equipment:PROTECT IVE CLOTHING FOR CONTACT WITH LIQUID. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. USE PROPER CARE WHEN HANDLING AND STORING CYLINDERS. Supplemental Safety and Health NONE

HCC:G3

Boiling Pt:B.P. Text:-320F,-196C Vapor Density:0.98 Evaporation Rate & amp; Reference:GAS AT ROOM TEMPERATURE Solubility in Water:SLIGHT Appearance and Odor:COLORLESS GAS, WITH NO ODOR. Percent Vo latiles by Volume:100

Stability Indicator/Materials to Avoid:YES CAN REACT VIOLENTLY WITH LI, ND, TI UNDER PROPER CONDITIONS. Hazardous Decomposition Products:NONE

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formul ated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.