

TITAN ADHESIVE CO, INC -- 1055 MODIFIED VINYL ACETATE WATER BASED -- 8040-00-053-8452

===== Product Identification =====

Product ID:1055 MODIFIED VINYL ACETATE WATER BASED

MSDS Date:06/19/1991

FSC:8040

NIIN:00-053-8452

MSDS Number: BLSRC

=== Responsible Party ===

Company Name:TITAN ADHESIVE CO, INC

Address:590 BELLEVILLE TURNPIKE

City:KEARNY

State:NJ

ZIP:07032

Country:US

Info Phone Num:201-997-128

1

Emergency Phone Num:201-997-1281

Preparer's Name:STEVE BASCH

CAGE:TITAN

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name:TITAN ADHESIVE CO, INC

Address:590 BELLEVILLE TURNPIKE

City:KEARNY

State:NJ

ZIP:07032

Phone:201-997-1281

CAGE:TITAN

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE VINYL ACETATE

CAS:24937-78-8

Other R

EC Limits:NONE SPECIFIED

Ingred Name:PROPRIETARY (NJEIN 36288800-5107P)

Other REC Limits:NONE SPECIFIED

Ingred Name:VINYL ACETATE (SARA III)

CAS:108-05-4

RTECS #:AK0875000

Other REC Limits:NONE SPECIFIED

OSHA PEL:10 PPM/15 STEL

ACGIH TLV:10 PPM/15,A3 STEL;93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:PROPRIETARY (NJEIN 36088800-5047P)

Other REC Limits:NONE SPECIFIED

OSHA PEL:1 PPM

ACGIH TLV:1 PPM

===== Hazards Identification =====

Routes of Entr

y: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION:MAY CAUSE SLIGHT IRRITATION
TO NASAL TRACT. INGESTION: NOT PROBABLE OR LIKELY. EYES MAY CAUSE
SLIGHT IRRITATION. SKIN: MAY CAUSE SLIGHT IRRITATION.

Explanation of Carcinogenicity:HAS NOT BEEN IDENTIFIED AS A CARCINOGEN
OR PROBABLE CARCINOGEN BY NTP, IARC OR OSHA.

===== First Aid Measures =====

First Aid:EYES

: IRRIGATE IMMEDIATELY WITH WATER FOR AT LEAST 15
MINUTES. SKIN: WASH OFF IN FLOWING WATER. WASH CONTAMINATED
CLOTHING BEFORE REUSE. INGESTION: DRINK WATER AND/OR MILK. DO
INDUCE VOMITING. CALL A PHYSICIAN AND/OR TRANSPORT TO
EMERGENCYFACILITY IF REQUIRED. INHALATION: REMOVE TO FRESH AIR AND
IF SYMPTOMS OF OVER EXPOSURE DEVELOP SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:LIQUID WILL NOT B

URN. DRY FILM CAN BURN. EXTINGUISH

WITH WATER, FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS WHEN EXTINGUISHING FIRE.

Unusual Fire/Explosion Hazard:MATERIAL MAY SPLATTER OVER 212 F.

===== Accidental Release Measures =====

Spill Release Procedures:SHOVEL OR CLEAN UP SPILLED MATERIAL WITH SUITABLE ABSORBENT AND PLACE IN AN APPROVED CONTAINER. LET FILM DRY AND THEN SCRAPE UP.

===== Handling and Storage =====

Handling and Storage Precautions:FOR BEST RESULTS OF PRODUCT STORE AT TEMPERATURES BETWEEN 50 AND 90 F.

Other Precautions:KEEP FROM FREEZING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:LOCAL EXHAUST WITH MECHANICAL ASSISTANCE IF REQUIRED.

Protective Gloves:WATER PROOF OR IMPERVIOUS GLOVES.

Eye Protection:SPLASH-PROOF EYE PROTECTION.

Other Protective Equipment:NO SPECIAL CLOTHING REQUIRED.

Work Hygienic Practices:GOOD HOUSEKEEPING PRACTICES ARE IMPORTANT. WASH THOROUGHLY AFTER USING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:18 @ 20 C

Vapor Density:>1

Spec Gravity:9.0 LBS/GL

pH:5-6

Viscosity:3000 CPS

Evaporation Rate & Reference:1 (WATER=1)

Solubility in Water:MISCIBLE

Appearance and Odor:MOBILE WHITE LIQUID

WITH SWEET ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY RELEASE
CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL OF CONTENTS AND/OR CONTAINER SHOULD
COMPLY WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.