

3M GENERAL OFFICES -- EC-1386 STRUCTURAL EPOXY ADHESIVE -- 8040-01-022-1697
===== Product Identification =====

Product ID:EC-1386 STRUCTURAL EPOXY ADHESIVE

MSDS Date:04/12/1990

FSC:8040

NIIN:01-022-1697

MSDS Number: BMDKF

=== Responsible Party ===

Company Name:3M GENERAL OFFICES

Address:3M CENTER

City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-73

3-1110

CAGE:1BY21

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

Company Name:MINNESOTA MINING AND MFG CO ENGINEERING DOCUMENT SYSTEMS
DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:612-737-4114

CAGE:1BY21

===== Composition/Information on Ingredients =====

Ingred Name:EPOX

Y RESIN
CAS:25068-38-6
RTECS #:KC2100000
Fraction by Wt: 70-80%

Ingred Name:ACRYLONITRILE BUTADIENE POLYMER
CAS:9003-18-3
Fraction by Wt: 10-20%

Ingred Name:GUANIDINE, CYANO-; (DICYANDIAMIDE)
CAS:461-58-5
RTECS #:ME9950000
Fraction by Wt: 1-10%

Ingred Name:SILICON DIOXIDE, AMORPHOUS; (AMORPHOUS SILICA)
CAS:7631-86-9
Fraction by Wt: 1-10%
OSHA PEL:6 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MA
NUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: MAY CAUSE EYE IRRITATION. VAPORS
OF HEATED PRODUCT OR DUST FROM GRINDING, CUTTING AND SANDING
OPERATIONS ON CURED PRODUCT MAY CAUSE EYE IRRITATION. SKIN: MAY
CAUSE SKIN IRRITATION AND ALLERGIC RE ACTION ON PROLONGED OR
FREQUENT CONTACT. INHALATION: VAPORS FROM CURING OPERATIONS & DUST
FROM CUTTING,(EFTS OF OVEREXP)

Expl
anation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: GRINDING, AND SANDING OPERATIONS MAY
CAUSE RESPIRATORY IRRITATION. SYMPTOMS INCLUDE COUGHING, SNEEZING,
AND ITCHING. INGESTION: MAY CAUSE MINOR DIGESTIVE SYSTEM
IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR
AT LEAST 15 MINUTES. GET ME

DICAL ATTENTION. SKIN: WIPE OFF

CONTAMINATION. WASH AFFECTED AREA WITH SOAP AND WATER. INHALATION:
MOVE TO FRESH AIR IF SYMPTOMS OCCUR. INGESTION: DO NOT INDUCE
VOMITING. IMMEDIATELY CALL PHYSICIAN OR POISON CONTROL CENTER.

=====
Fire Fighting Measures
=====

Flash Point:>200F,>93C

Extinguishing Media:CO*2, FOAM, DRY CHEMICALS.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:N
ONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILATE AREA. OBSERVE PRECAUTIONS FROM OTHER
SECTIONS. COLLECT SPILLED MATERIAL. PLACE IN A CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:FOR INDUSTRIAL OR PROFESSIONAL USE
ONLY. AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

Other Precautions:AVOID BREATHING EMISSIONS FROM
CURING OPERATIONS AND
DUST FROM CUTTING, GRINDING AND SANDING OPERATIONS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE
FOR EXPOSURE OF CONCERN .

Ventilation:PROVIDE VENTILATION SUFF TO CONTROL EMISSIONS AND DUST.
VENT CURING OVENS TO OUTDOORS OR TO AN EMISSION CNTRL DEVICE.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECI
FIED BY MANUFACTURER.

Work Hygienic Practices:AVOID CONTACT WITH EYES, SKIN & CLTHG. LAUNDER
CONTAM CLTHG BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Spec Gravity:1.150

Solubility in Water:ESSENTIALLY NIL

Appearance and Odor:CREAM COLORED, VISCOUS PASTE, LOW ODOR.

Percent Volatiles by Volume:0

=====
Stability and Reactivity Data
=====

===

Stability Indicator/Materials to Avoid: YES
NOT APPLICABLE.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: THERMAL DECOMPOSITION OR BURNING MAY
PRODUCE C, H, N DECOMPOSITION PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE BULK PRODUCT AFTER MIXING WITH
FLAMMABLE MATERIAL IN AN INDUSTRIAL OR COMMERCIAL FACILITY.
DISPOSAL SHOULD BE IN ACCORDANCE WITH FEDERAL, STATE, AND
LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to t
heir
particular situation.