

GC ELECTRONICS CO.; SUB OF HOUSEHOLD INTERN. CORP. -- PRINT KOTE CONFORMAL
COATING 22-204 -- 3439-00-986-2582

===== Product Identification =====

Product ID:PRINT KOTE CONFORMAL COATING 22-204

MSDS Date:07/01/1991

FSC:3439

NIIN:00-986-2582

MSDS Number: BMDTK

=== Responsible Party ===

Company Name:GC ELECTRONICS CO.; SUB OF HOUSEHOLD INTERN. CORP.

Address:1801 MORGAN ST

Box:1209

City:ROCKFORD

State:

IL

ZIP:61105-1209

Country:US

Info Phone Num:815-968-9661

Emergency Phone Num:815-968-9661

Preparer's Name:V. HAGEMAN

CAGE:EO032

=== Contractor Identification ===

Company Name:GC ELECTRONICS CO,SUB OF HOUSEHOLD INTERNATIONAL C

Address:1801 MORGAN ST

Box:1209

City:ROCKFORD

State:IL

ZIP:61105-1209

Country:US

Phone:815-968-9661

CAGE:EO032

Company Name:GC THORSEN

Address:1801 MORGAN STREET

Box:City:ROCKFORD

State:IL

ZIP:61105

Country:US

Phone:815-968-9661

CAGE:72653

===== Composition/Inform

ation on Ingredients =====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 52%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SILICONE RUBBER
Fraction by Wt: 18%
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TZ4300000
Fraction by Wt: 30%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM

Ingred Name:PROPANE
CAS:74-98-6
R
TECS #:TX2275000
Fraction by Wt: BALANCE
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION- CNS DEPRESSION.
EYE- IRRITATION. SKIN- DRYING, IRRITATION. CHRONIC: UNKNOWN.
Explanation of Carcinogenicity:BENZENE, A MINOR COMPONENT (1
Spec

Gravity:0.6
Evaporation Rate & Reference:1.5 (METHOD:UNKNOWN)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AEROSOL: CLEAR,COLORLESS; TOLUENE ODOR
Percent Volatiles by Volume:91

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, OPEN FLAMES AND
OTHER SOURCES OF IGNITION.
Hazardous Decomposition Products:OXIDES OF CARBON

=====

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT LOCAL ENVIRONMENTAL MANAGER. DISPOSAL
SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND
LOCAL LAWS AND REGULATIONS. DO NOT FLUSH TO DRAIN/STORM SEWER.
INCINERATE UNDER CONTROLLED CONDITIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no
manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.